

South Carolina Communities That Care (SC CTC) Survey



Fairfield County

2022 Results

Table of Contents

INTRODUCTION.....	iii
DEMOGRAPHICS	1
SUBSTANCE USE	16
ACCESS.....	53
DISAPPROVAL OF USE.....	71
RISK OF HARM.....	79
RISK BEHAVIORS.....	85
PARENTAL DISAPPROVAL.....	95
PEER DISAPPROVAL	102
APPENDIX A – SURVEY INSTRUMENT.....	109

INTRODUCTION

This report presents results of the South Carolina Communities That Care (SC CTC) Survey for Fairfield County. The SC CTC Survey was sponsored by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS). The survey was managed, distributed, and processed by Iron Sharpens Iron Consulting (ISI). ISI collaborated with DAODAS, the county alcohol and drug abuse authorities, and school districts to administer the survey in 26 counties in South Carolina in February and March 2022.

Survey Content

The 2022 CTC survey contains 89 items, which comprise a number of domains, including student demographics, current and lifetime use of various substances, access to and sources of substances, disapproval of use, risk perceptions, risk behaviors, and perceived peer and parental attitudes. Most domains include multiple items that measure different aspects of the domain. The focus of most of the substance use-related items is on tobacco, alcohol, and marijuana, although items about other drugs and risk behaviors are included as well. This report provides frequencies and prevalence estimates for each item in the survey.

Notes About Data Included in This Report

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population in each county from which the student survey samples were drawn. The data was weighted according to characteristics that are known to be associated with substance use. For example, substance use is known to vary by grade and race/ethnicity. For this reason, the survey data was weighted by grade level and race/ethnicity (white, non-white) so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate. Students' self-reported race/ethnicity was coded into two categories, "white" and "other." The "other" category includes students who self-identified as something other than white, as well as those who indicated multiple races/ethnicities. The number of race/ethnicity categories was limited to two because the number of surveys was not sufficient for examining a larger number of categories.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, a liberal threshold for acceptable weights was used. As such, the resulting estimates may be, in some cases, heavily influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results. The table below indicates the number of students surveyed in each grade-race/ethnicity category.

Data Used in Analysis

7 th / white	7 th / other	8 th / white	8 th / other	9 th / white	9 th / other	10 th / white	10 th / other	11 th / white	11 th / other	12 th / white	12 th / other	
38	125	19	120	25	117	38	136	22	96	22	89	Total*
												847

*Note that the total number of students may exceed the sum of the grade-race/ethnicity cells. This is due to students who did not report a grade and/or race/ethnicity.

Because the results in this report are based on weighted data, they may differ somewhat from results that are obtained from the raw data file that was distributed by DAODAS. An additional reason there may be differences between these results and those obtained from the raw data file is due to cleaning procedures (e.g., omission of surveys that had multiple instances of logically inconsistent answers, such as reporting no lifetime alcohol use but at the same time reporting past-30-day alcohol use) that were applied to the data to help enhance the validity of the data included in the report.

Presenting Results by Grade and Overall

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number in the table header.

Coding of Response Categories

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, most items were recoded. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

Empty Cells in the Tables

Note that some tables may contain empty cells. These instances can be interpreted as 0%. The computer program used to analyze the data generates an empty cell by default whenever the estimate is 0%. Estimates of 0% are most likely to be generated when the number of students surveyed is small and/or when the question pertains to a rare behavior such as lifetime heroin use.

Comparing County Results to the Combined Results for the 26 Counties

Interpretation of county results may be enhanced by comparing them to the combined results for the 26 counties that took part in the SC CTC survey (and which are presented in a separate report). The combined results for the 26 counties should not be interpreted as estimates for the entire state population but rather as estimates for only the counties that participated in the survey.

Inclusion of Confidence Intervals in the Tables

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as Lower and Upper 95% CL). In comparing the county's results to the combined results for the 26 counties, differences in behaviors (attitudes, etc.) between the two can be considered statistically significant if the confidence intervals for the county and the 26 counties combined (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students in the county and, as such, they can be interpreted as estimates of the true values (of

the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that the true prevalence of the behavior is 95% likely to fall within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically significantly different from each other (e.g., whether the county's prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all 30 counties combined).

Survey Interpretation in Context of Covid-19

The authors of this report caution individuals comparing this report with previous survey administration cycles. Due to the onset of COVID-19, there may be non-secular trends present. As schools suspended certain activities/events and schooling alternated between the virtual and physical environments, students in this cycle of survey administration may have a different schooling experience compared to previous years. This may impact responses especially for questions surrounding school activities and sporting events.

Notes on Survey Tool Content and Administration

The survey was administered digitally and through pen and paper. During survey coordination, some errors were present in the translation of the survey to its digital format, creating discrepancies in the affected questions. Reviewers are encouraged to carefully consider the possible bias when reviewing those responses. The impacted questions are listed below:

Q12: The word “vaping pens” is used instead of “vapes.”

Possible follow-up question(s) impacted: Q13

Q25: When listing alcoholic beverages, “or” is used instead of “,”

Q26: The phrase “I bought it” is used instead of “I bought it myself.”

Q40: The question is phrased “On how many occasions have you used...” instead of, “On how many occasions, if any, have you used...”

Possible follow-up question(s) impacted: Q41

Q81: The question is phrased “How wrong do your parents feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.)” instead of, “How wrong do your parents feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.) not prescribed to you.”

Q88: The question is phrased, “How wrong do your friends feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.)” instead of, “How wrong do your friends feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.) not prescribed to you.”

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	12	50	30.5	23.4	37.5
7th	13	102	62.2	54.8	69.6
7th	14	11	6.7	2.9	10.5
	15	1	0.6	0.0	1.8
	16	0	.	.	.
	17	0	.	.	.
	18	0	.	.	.
	19 or older	0	.	.	.
	Total	164	100.0	.	.
8th	12	0	.	.	.
8th	13	44	31.4	23.7	39.1
8th	14	78	55.7	47.5	64.0
	15	16	11.4	6.1	16.7
	16	2	1.4	0.0	3.4
	17	0	.	.	.
	18	0	.	.	.
	19 or older	0	.	.	.
	Total	140	100.0	.	.
9th	12	0	.	.	.
9th	13	0	.	.	.
9th	14	56	39.1	30.9	47.3
	15	76	52.4	43.9	60.8
	16	9	7.0	2.6	11.4
	17	1	0.8	0.0	2.3
	18	0	.	.	.
	19 or older	1	0.8	0.0	2.3
	Total	143	100.0	.	.
10th	12	0	.	.	.
10th	13	0	.	.	.
10th	14	0	.	.	.
	15	78	46.1	38.4	53.9
	16	91	51.4	43.6	59.2
	17	5	2.5	0.1	4.8
	18	0	.	.	.
	19 or older	0	.	.	.
	Total	174	100.0	.	.
11th	12	0	.	.	.
11th	13	0	.	.	.

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted</i>		<i>Lower</i> <i>95%CL</i>	<i>Upper</i> <i>95%CL</i>	
		<i>N</i>	<i>Percent</i>			
11th	14	0	.	.	.	
	15	1	0.3	0.0	1.0	
	16	54	45.8	36.4	55.2	
	17	63	53.8	44.5	63.2	
	18	0	.	.	.	
	19 or older	0	.	.	.	
	Total	118	100.0	.	.	
12th	12	0	.	.	.	
12th	13	0	.	.	.	
12th	14	0	.	.	.	
	15	0	.	.	.	
	16	1	0.6	0.0	1.8	
	17	49	45.8	36.4	55.2	
	18	60	52.6	43.2	62.0	
	19 or older	1	1.0	0.0	2.9	
	Total	111	100.0	.	.	
		12	50	5.9	4.3	7.5
		13	146	17.2	14.6	19.7
Total	14	145	17.6	15.0	20.3	
	15	172	19.8	17.0	22.5	
	16	157	17.6	15.0	20.2	
	17	118	14.8	12.2	17.3	
	18	60	6.9	5.2	8.6	
	19 or older	2	0.3	0.0	0.6	
Total	850	100.0	.	.		

DEMOGRAPHICS
Gender (Q3)

<i>Grade</i>	<i>Gender</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Female	73	47.1	39.2	55.0
	Male	82	52.9	45.0	60.8
	Total	155	100.0	.	.
8th	Female	63	47.7	39.2	56.3
	Male	69	52.3	43.7	60.8
	Total	132	100.0	.	.
9th	Female	66	49.3	40.7	57.9
	Male	71	50.7	42.1	59.3
	Total	137	100.0	.	.
10th	Female	79	49.0	40.9	57.2
	Male	79	51.0	42.8	59.1
	Total	158	100.0	.	.
11th	Female	51	46.5	36.8	56.2
	Male	59	53.5	43.8	63.2
	Total	110	100.0	.	.
12th	Female	50	48.5	38.8	58.3
	Male	55	51.5	41.7	61.2
	Total	105	100.0	.	.
Total	Female	382	48.1	44.5	51.6
	Male	415	51.9	48.4	55.5
	Total	797	100.0	.	.

DEMOGRAPHICS
Race (Q5)

<i>Grade</i>	<i>Race</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	White	38	23.3	16.8	29.8
	Other	125	76.7	70.2	83.2
	Total	163	100.0	.	.
8th	White	19	13.7	7.9	19.4
	Other	120	86.3	80.6	92.1
	Total	139	100.0	.	.
9th	White	25	8.8	5.3	12.3
	Other	117	91.2	87.7	94.7
	Total	142	100.0	.	.
10th	White	38	8.9	6.0	11.9
	Other	136	91.1	88.1	94.0
	Total	174	100.0	.	.
11th	White	22	7.6	4.4	10.9
	Other	96	92.4	89.1	95.6
	Total	118	100.0	.	.
12th	White	22	13.6	8.1	19.1
	Other	89	86.4	80.9	91.9
	Total	111	100.0	.	.
Total	White	164	12.9	10.8	14.9
	Other	683	87.1	85.1	89.2
	Total	847	100.0	.	.

DEMOGRAPHICS
Language used most often at home (Q4)

<i>Grade</i>	<i>Language at home</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	English	162	98.8	97.1	100.0
	Spanish	0	.	.	.
	Other	2	1.2	0.0	2.9
	Total	164	100.0	.	.
8th	English	132	94.3	90.4	98.1
	Spanish	4	2.9	0.1	5.6
	Other	4	2.9	0.1	5.6
	Total	140	100.0	.	.
9th	English	137	96.1	92.7	99.5
	Spanish	2	1.6	0.0	3.7
	Other	3	2.3	0.0	5.0
	Total	142	100.0	.	.
10th	English	169	98.0	95.7	100.0
	Spanish	2	1.4	0.0	3.2
	Other	1	0.7	0.0	2.0
	Total	172	100.0	.	.
11th	English	114	96.2	92.5	99.9
	Spanish	4	3.8	0.1	7.5
	Other	0	.	.	.
	Total	118	100.0	.	.
12th	English	107	96.1	92.4	99.9
	Spanish	2	1.9	0.0	4.6
	Other	2	1.9	0.0	4.6
	Total	111	100.0	.	.
Total	English	821	96.7	95.4	97.9
	Spanish	14	1.8	0.9	2.8
	Other	12	1.5	0.7	2.4
	Total	847	100.0	.	.

DEMOGRAPHICS
School grades in past year (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Mostly As	43	26.4	19.6	33.2
	Mostly Bs	50	30.7	23.6	37.8
	Mostly Cs	42	25.8	19.0	32.5
	Mostly Ds	16	9.8	5.2	14.4
	Mostly Fs	12	7.4	3.3	11.4
	Total	163	100.0	.	.
8th	Mostly As	15	10.9	5.7	16.2
	Mostly Bs	55	40.1	31.9	48.4
	Mostly Cs	47	34.3	26.3	42.3
	Mostly Ds	16	11.7	6.3	17.1
	Mostly Fs	4	2.9	0.1	5.7
	Total	137	100.0	.	.
9th	Mostly As	30	17.9	11.6	24.1
	Mostly Bs	47	32.7	24.8	40.6
	Mostly Cs	43	32.7	24.7	40.7
	Mostly Ds	17	12.8	7.1	18.6
	Mostly Fs	5	3.9	0.5	7.3
	Total	142	100.0	.	.
10th	Mostly As	56	27.1	20.4	33.9
	Mostly Bs	52	31.4	24.1	38.7
	Mostly Cs	46	30.0	22.7	37.3
	Mostly Ds	13	7.9	3.6	12.1
	Mostly Fs	6	3.6	0.7	6.5
	Total	173	100.0	.	.
11th	Mostly As	47	36.0	27.1	44.9
	Mostly Bs	44	38.0	28.9	47.2
	Mostly Cs	19	18.3	10.9	25.7
	Mostly Ds	5	4.8	0.7	8.9
	Mostly Fs	3	2.9	0.0	6.1
	Total	118	100.0	.	.
12th	Mostly As	35	28.2	19.9	36.5
	Mostly Bs	40	38.2	28.9	47.5
	Mostly Cs	29	28.7	20.0	37.5
	Mostly Ds	3	3.0	0.0	6.3
	Mostly Fs	2	2.0	0.0	4.7
	Total	109	100.0	.	.
Total	Mostly As	226	24.1	21.2	27.1
	Mostly Bs	288	34.8	31.5	38.1

DEMOGRAPHICS
School grades in past year (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Mostly Cs	226	28.4	25.3	31.6
	Mostly Ds	70	8.7	6.7	10.6
	Mostly Fs	32	4.0	2.6	5.3
	Total	842	100.0	.	.

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Advanced placement or honors	41	25.3	18.6	32.0
	College prep	8	4.9	1.6	8.3
	General	38	23.5	16.9	30.0
	Vocational, technical, or commercial	7	4.3	1.2	7.5
	Other or don't know	68	42.0	34.4	49.6
	Total	162	100.0	.	.
8th	Advanced placement or honors	25	17.9	11.5	24.2
	College prep	14	10.0	5.0	15.0
	General	48	34.3	26.4	42.2
	Vocational, technical, or commercial	4	2.9	0.1	5.6
	Other or don't know	49	35.0	27.1	42.9
	Total	140	100.0	.	.
9th	Advanced placement or honors	47	33.4	25.4	41.5
	College prep	18	14.3	8.2	20.4
	General	25	18.1	11.5	24.7
	Vocational, technical, or commercial	0	.	.	.
	Other or don't know	48	34.1	26.0	42.2
	Total	138	100.0	.	.
10th	Advanced placement or honors	59	33.0	25.6	40.4
	College prep	28	16.8	10.9	22.7
	General	34	19.6	13.3	25.8
	Vocational, technical, or commercial	3	2.0	0.0	4.3
	Other or don't know	46	28.6	21.4	35.7
	Total	170	100.0	.	.
11th	Advanced placement or honors	53	44.7	35.2	54.2
	College prep	21	19.7	12.0	27.4
	General	23	19.8	12.2	27.4
	Vocational, technical, or commercial	2	2.0	0.0	4.8
	Other or don't know	15	13.7	7.1	20.4
	Total	114	100.0	.	.
12th	Advanced placement or honors	38	32.2	23.4	41.0
	College prep	25	24.3	16.0	32.6
	General	22	21.6	13.6	29.6
	Vocational, technical, or commercial	4	4.0	0.2	7.8
	Other or don't know	19	17.9	10.5	25.3
	Total	108	100.0	.	.
Total	Advanced placement or honors	263	30.7	27.5	33.9
	College prep	114	14.3	11.8	16.8

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	General	190	22.8	19.9	25.8
	Vocational, technical, or commercial	20	2.5	1.4	3.6
	Other or don't know	245	29.7	26.5	32.8
	Total	832	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Technical or vocational school (Q8)

<i>Grade</i>	<i>Tech or vocational school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	153	93.3	89.5	97.1
	Yes	11	6.7	2.9	10.5
	Total	164	100.0	.	.
8th	No	138	98.6	96.6	100.0
	Yes	2	1.4	0.0	3.4
	Total	140	100.0	.	.
9th	No	137	95.4	91.7	99.0
	Yes	6	4.6	1.0	8.3
	Total	143	100.0	.	.
10th	No	164	94.2	90.5	97.8
	Yes	10	5.8	2.2	9.5
	Total	174	100.0	.	.
11th	No	98	82.0	74.7	89.3
	Yes	20	18.0	10.7	25.3
	Total	118	100.0	.	.
12th	No	82	73.6	65.3	81.9
	Yes	29	26.4	18.1	34.7
	Total	111	100.0	.	.
Total	No	772	90.4	88.3	92.5
	Yes	78	9.6	7.5	11.7
	Total	850	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Armed forces (Q8)

<i>Grade</i>	<i>Armed forces</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	146	89.0	84.2	93.8
	Yes	18	11.0	6.2	15.8
	Total	164	100.0	.	.
8th	No	127	90.7	85.9	95.5
	Yes	13	9.3	4.5	14.1
	Total	140	100.0	.	.
9th	No	123	86.6	81.0	92.3
	Yes	20	13.4	7.7	19.0
	Total	143	100.0	.	.
10th	No	152	86.6	81.2	91.9
	Yes	22	13.4	8.1	18.8
	Total	174	100.0	.	.
11th	No	108	90.4	84.7	96.0
	Yes	10	9.6	4.0	15.3
	Total	118	100.0	.	.
12th	No	103	92.6	87.6	97.6
	Yes	8	7.4	2.4	12.4
	Total	111	100.0	.	.
Total	No	759	89.1	86.9	91.3
	Yes	91	10.9	8.7	13.1
	Total	850	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Two-year college (Q8)

<i>Grade</i>	<i>Two-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	119	72.6	65.7	79.4
	Yes	45	27.4	20.6	34.3
	Total	164	100.0	.	.
8th	No	99	70.7	63.2	78.3
	Yes	41	29.3	21.7	36.8
	Total	140	100.0	.	.
9th	No	123	85.4	79.3	91.4
	Yes	20	14.6	8.6	20.7
	Total	143	100.0	.	.
10th	No	141	79.6	73.3	86.0
	Yes	33	20.4	14.0	26.7
	Total	174	100.0	.	.
11th	No	91	75.3	67.1	83.4
	Yes	27	24.7	16.6	32.9
	Total	118	100.0	.	.
12th	No	89	79.3	71.6	87.1
	Yes	22	20.7	12.9	28.4
	Total	111	100.0	.	.
Total	No	662	77.1	74.2	80.1
	Yes	188	22.9	19.9	25.8
	Total	850	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Four-year college (Q8)

<i>Grade</i>	<i>Four-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	94	57.3	49.7	64.9
	Yes	70	42.7	35.1	50.3
	Total	164	100.0	.	.
8th	No	65	46.4	38.2	54.7
	Yes	75	53.6	45.3	61.8
	Total	140	100.0	.	.
9th	No	53	38.5	30.3	46.7
	Yes	90	61.5	53.3	69.7
	Total	143	100.0	.	.
10th	No	79	46.4	38.6	54.2
	Yes	95	53.6	45.8	61.4
	Total	174	100.0	.	.
11th	No	53	46.1	36.7	55.4
	Yes	65	53.9	44.6	63.3
	Total	118	100.0	.	.
12th	No	62	57.0	47.7	66.3
	Yes	49	43.0	33.7	52.3
	Total	111	100.0	.	.
Total	No	406	48.4	45.0	51.8
	Yes	444	51.6	48.2	55.0
	Total	850	100.0	.	.

DEMOGRAPHICS**Post-graduation plans: Graduate or professional school (Q8)**

<i>Grade</i>	<i>Graduate school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	123	75.0	68.4	81.6
	Yes	41	25.0	18.4	31.6
	Total	164	100.0	.	.
8th	No	129	92.1	87.7	96.6
	Yes	11	7.9	3.4	12.3
	Total	140	100.0	.	.
9th	No	131	90.7	85.7	95.7
	Yes	12	9.3	4.3	14.3
	Total	143	100.0	.	.
10th	No	159	91.7	87.4	96.0
	Yes	15	8.3	4.0	12.6
	Total	174	100.0	.	.
11th	No	106	90.3	84.8	95.8
	Yes	12	9.7	4.2	15.2
	Total	118	100.0	.	.
12th	No	104	94.3	90.0	98.5
	Yes	7	5.7	1.5	10.0
	Total	111	100.0	.	.
Total	No	752	88.5	86.3	90.7
	Yes	98	11.5	9.3	13.7
	Total	850	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: None of the above (Q8)

<i>Grade</i>	<i>No plans</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No	130	79.3	73.1	85.5
	Yes	34	20.7	14.5	26.9
	Total	164	100.0	.	.
8th	No	121	86.4	80.7	92.1
	Yes	19	13.6	7.9	19.3
	Total	140	100.0	.	.
9th	No	118	81.5	74.9	88.1
	Yes	25	18.5	11.9	25.1
	Total	143	100.0	.	.
10th	No	151	86.8	81.5	92.1
	Yes	23	13.2	7.9	18.5
	Total	174	100.0	.	.
11th	No	111	94.5	90.3	98.7
	Yes	7	5.5	1.3	9.7
	Total	118	100.0	.	.
12th	No	90	80.3	72.7	87.9
	Yes	21	19.7	12.1	27.3
	Total	111	100.0	.	.
Total	No	721	84.6	82.1	87.1
	Yes	129	15.4	12.9	17.9
	Total	850	100.0	.	.

ALCOHOL USE
Lifetime alcohol use (Q20)

<i>Grade</i>	<i>Lifetime alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	16	10.3	5.5	15.0
	No	140	89.7	85.0	94.5
	Total	156	100.0	.	.
8th	Yes	11	8.3	3.6	13.0
	No	122	91.7	87.0	96.4
	Total	133	100.0	.	.
9th	Yes	36	27.3	19.3	35.2
	No	89	72.7	64.8	80.7
	Total	125	100.0	.	.
10th	Yes	36	22.1	15.3	28.9
	No	122	77.9	71.1	84.7
	Total	158	100.0	.	.
11th	Yes	29	27.6	18.7	36.4
	No	78	72.4	63.6	81.3
	Total	107	100.0	.	.
12th	Yes	39	40.4	30.4	50.4
	No	56	59.6	49.6	69.6
	Total	95	100.0	.	.
Total	Yes	167	21.3	18.4	24.3
	No	607	78.7	75.7	81.6
	Total	774	100.0	.	.

ALCOHOL USE
Age of first alcohol use (Q21)

<i>Grade</i>	<i>Age of first alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	12 or younger	14	9.0	4.5	13.6
	Never have OR 13 or older	141	91.0	86.4	95.5
	Total	155	100.0	.	.
8th	12 or younger	12	9.0	4.1	13.9
	Never have OR 13 or older	121	91.0	86.1	95.9
	Total	133	100.0	.	.
9th	12 or younger	38	30.3	21.9	38.6
	Never have OR 13 or older	83	69.7	61.4	78.1
	Total	121	100.0	.	.
10th	12 or younger	44	26.5	19.3	33.7
	Never have OR 13 or older	115	73.5	66.3	80.7
	Total	159	100.0	.	.
11th	12 or younger	33	32.2	22.9	41.5
	Never have OR 13 or older	73	67.8	58.5	77.1
	Total	106	100.0	.	.
12th	12 or younger	43	43.5	33.5	53.5
	Never have OR 13 or older	54	56.5	46.5	66.5
	Total	97	100.0	.	.
Total	12 or younger	184	23.6	20.5	26.7
	Never have OR 13 or older	587	76.4	73.3	79.5
	Total	771	100.0	.	.

ALCOHOL USE
Age of first regular alcohol use (Q23)

<i>Grade</i>	<i>Age of first regular alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	12 or younger	4	2.5	0.1	5.0
7th	Never have OR 13 or older	153	97.5	95.0	99.9
	Total	157	100.0	.	.
8th	12 or younger	2	1.5	0.0	3.6
8th	Never have OR 13 or older	131	98.5	96.4	100.0
	Total	133	100.0	.	.
9th	12 or younger	13	8.5	3.7	13.2
9th	Never have OR 13 or older	114	91.5	86.8	96.3
	Total	127	100.0	.	.
10th	12 or younger	21	12.5	7.2	17.8
10th	Never have OR 13 or older	140	87.5	82.2	92.8
	Total	161	100.0	.	.
11th	12 or younger	15	13.1	6.5	19.6
11th	Never have OR 13 or older	93	86.9	80.4	93.5
	Total	108	100.0	.	.
12th	12 or younger	25	26.8	17.8	35.9
12th	Never have OR 13 or older	70	73.2	64.1	82.2
	Total	95	100.0	.	.
	12 or younger	80	9.8	7.6	11.9
Total	Never have OR 13 or older	701	90.2	88.1	92.4
	Total	781	100.0	.	.

ALCOHOL USE
Current alcohol use (Q24)

<i>Demographic characteristic</i>	<i>Current alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	35	10.0	6.7	13.2
	No	315	90.0	86.8	93.3
Male	Yes	21	5.0	2.8	7.3
	No	352	95.0	92.7	97.2
White	Yes	17	10.0	5.1	14.9
	No	131	90.0	85.1	94.9
Other	Yes	43	7.1	5.1	9.2
	No	578	92.9	90.8	94.9
7th	Yes	5	3.2	0.4	5.9
	No	152	96.8	94.1	99.6
8th	Yes	4	3.0	0.1	5.9
	No	129	97.0	94.1	99.9
9th	Yes	11	8.3	3.4	13.2
	No	111	91.7	86.8	96.6
10th	Yes	12	6.1	2.4	9.9
	No	145	93.9	90.1	97.6
11th	Yes	10	9.2	3.5	14.9
	No	98	90.8	85.1	96.5
12th	Yes	19	20.2	12.0	28.4
	No	76	79.8	71.6	88.0
Total	Yes	61	7.6	5.7	9.5
	No	711	92.4	90.5	94.3

ALCOHOL USE
Current binge alcohol use (Q22)

<i>Demographic characteristic</i>	<i>Current binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	18	5.1	2.8	7.5
	No	333	94.9	92.5	97.2
Male	Yes	17	4.3	2.2	6.4
	No	364	95.7	93.6	97.8
White	Yes	8	5.0	1.3	8.7
	No	135	95.0	91.3	98.7
Other	Yes	32	5.1	3.4	6.8
	No	605	94.9	93.2	96.6
7th	Yes	3	1.9	0.0	4.1
	No	154	98.1	95.9	100.0
8th	Yes	4	3.0	0.1	5.9
	No	130	97.0	94.1	99.9
9th	Yes	6	4.8	1.0	8.7
	No	117	95.2	91.3	99.0
10th	Yes	9	5.1	1.6	8.6
	No	152	94.9	91.4	98.4
11th	Yes	4	3.5	0.0	7.0
	No	106	96.5	93.0	100.0
12th	Yes	14	14.8	7.6	22.0
	No	84	85.2	78.0	92.4
Total	Yes	40	5.0	3.5	6.6
	No	743	95.0	93.4	96.5

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	No usual type	4	50.0	14.9	85.1
7th	Beer	0	.	.	.
	Malt beverages	1	12.5	0.0	35.7
	Energy drinks with alcohol	0	.	.	.
	Wine coolers	0	.	.	.
	Wine	2	25.0	0.0	55.4
	Liquor	1	12.5	0.0	35.7
	Other	0	.	.	.
	Total	8	100.0	.	.
8th	No usual type	0	.	.	.
8th	Beer	2	50.0	0.3	99.7
	Malt beverages	0	.	.	.
	Energy drinks with alcohol	0	.	.	.
	Wine coolers	1	25.0	0.0	68.0
	Wine	0	.	.	.
	Liquor	0	.	.	.
	Other	1	25.0	0.0	68.0
	Total	4	100.0	.	.
9th	No usual type	14	54.8	34.3	75.3
9th	Beer	1	2.1	0.0	6.3
	Malt beverages	1	4.6	0.0	13.6
	Energy drinks with alcohol	0	.	.	.
	Wine coolers	1	4.6	0.0	13.6
	Wine	2	6.7	0.0	16.6
	Liquor	3	13.1	0.0	27.2
	Other	3	13.9	0.0	28.7
	Total	25	100.0	.	.
10th	No usual type	23	64.0	47.7	80.3
10th	Beer	3	5.5	0.0	12.6
	Malt beverages	1	3.2	0.0	9.6
	Energy drinks with alcohol	1	3.2	0.0	9.6
	Wine coolers	4	8.8	0.0	18.0
	Wine	0	.	.	.
	Liquor	6	15.2	3.0	27.5
	Other	0	.	.	.
	Total	38	100.0	.	.
11th	No usual type	9	50.8	27.1	74.6
11th	Beer	2	4.4	0.0	10.7

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Malt beverages	0	.	.	.
	Energy drinks with alcohol	0	.	.	.
	Wine coolers	1	6.1	0.0	17.8
	Wine	0	.	.	.
	Liquor	6	32.6	10.2	55.0
	Other	1	6.1	0.0	17.8
	Total	19	100.0	.	.
12th	No usual type	12	36.7	19.4	54.1
12th	Beer	2	5.9	0.0	14.2
	Malt beverages	0	.	.	.
	Energy drinks with alcohol	4	14.4	1.2	27.6
	Wine coolers	4	13.1	0.8	25.4
	Wine	1	3.6	0.0	10.6
	Liquor	6	20.3	5.5	35.1
	Other	2	5.9	0.0	14.2
	Total	31	100.0	.	.
	No usual type	62	49.8	40.6	59.1
Total	Beer	10	5.8	1.9	9.7
	Malt beverages	3	2.7	0.0	5.7
	Energy drinks with alcohol	5	4.5	0.6	8.3
	Wine coolers	11	8.5	3.4	13.6
	Wine	5	4.0	0.4	7.7
	Liquor	22	18.3	11.1	25.6
	Other	7	6.4	1.7	11.1
	Total	125	100.0	.	.

TOBACCO USE
Lifetime cigarette use (Q14)

<i>Grade</i>	<i>Lifetime cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	6	3.8	0.8	6.8
	No	152	96.2	93.2	99.2
	Total	158	100.0	.	.
8th	Yes	4	3.0	0.1	5.9
	No	130	97.0	94.1	99.9
	Total	134	100.0	.	.
9th	Yes	7	4.0	0.8	7.1
	No	113	96.0	92.9	99.2
	Total	120	100.0	.	.
10th	Yes	3	1.7	0.0	3.8
	No	154	98.3	96.2	100.0
	Total	157	100.0	.	.
11th	Yes	4	3.6	0.0	7.3
	No	101	96.4	92.7	100.0
	Total	105	100.0	.	.
12th	Yes	6	6.6	1.4	11.7
	No	85	93.4	88.3	98.6
	Total	91	100.0	.	.
Total	Yes	30	3.6	2.3	5.0
	No	735	96.4	95.0	97.7
	Total	765	100.0	.	.

TOBACCO USE
Lifetime smokeless tobacco use (Q9)

<i>Grade</i>	<i>Lifetime smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	5	3.2	0.4	6.0
	No	150	96.8	94.0	99.6
	Total	155	100.0	.	.
8th	Yes	3	2.3	0.0	4.8
	No	129	97.7	95.2	100.0
	Total	132	100.0	.	.
9th	Yes	4	2.9	0.0	5.9
	No	127	97.1	94.1	100.0
	Total	131	100.0	.	.
10th	Yes	4	1.9	0.0	3.9
	No	162	98.1	96.1	100.0
	Total	166	100.0	.	.
11th	Yes	3	1.7	0.0	3.9
	No	111	98.3	96.1	100.0
	Total	114	100.0	.	.
12th	Yes	9	8.1	2.9	13.3
	No	86	91.9	86.7	97.1
	Total	95	100.0	.	.
Total	Yes	28	3.1	1.9	4.3
	No	765	96.9	95.7	98.1
	Total	793	100.0	.	.

TOBACCO USE
Lifetime vaping use (Q11)

<i>Grade</i>	<i>Lifetime vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	15	9.6	4.9	14.2
	No	142	90.4	85.8	95.1
	Total	157	100.0	.	.
8th	Yes	14	10.4	5.2	15.5
	No	121	89.6	84.5	94.8
	Total	135	100.0	.	.
9th	Yes	29	22.2	14.7	29.6
	No	96	77.8	70.4	85.3
	Total	125	100.0	.	.
10th	Yes	25	12.2	7.2	17.2
	No	140	87.8	82.8	92.8
	Total	165	100.0	.	.
11th	Yes	27	24.5	16.3	32.8
	No	86	75.5	67.2	83.7
	Total	113	100.0	.	.
12th	Yes	24	27.0	17.6	36.3
	No	65	73.0	63.7	82.4
	Total	89	100.0	.	.
Total	Yes	134	16.7	14.0	19.4
	No	650	83.3	80.6	86.0
	Total	784	100.0	.	.

TOBACCO USE
Lifetime cigar use (Q18)

<i>Grade</i>	<i>Lifetime cigar use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	9	5.8	2.1	9.5
	No	146	94.2	90.5	97.9
	Total	155	100.0	.	.
8th	Yes	8	6.0	1.9	10.0
	No	126	94.0	90.0	98.1
	Total	134	100.0	.	.
9th	Yes	11	8.4	3.5	13.3
	No	120	91.6	86.7	96.5
	Total	131	100.0	.	.
10th	Yes	13	8.3	3.8	12.8
	No	152	91.7	87.2	96.2
	Total	165	100.0	.	.
11th	Yes	14	14.1	7.3	21.0
	No	99	85.9	79.0	92.7
	Total	113	100.0	.	.
12th	Yes	18	19.3	11.3	27.2
	No	82	80.7	72.8	88.7
	Total	100	100.0	.	.
Total	Yes	73	9.7	7.6	11.9
	No	725	90.3	88.1	92.4
	Total	798	100.0	.	.

TOBACCO USE
Lifetime bidis use (Q19)

<i>Grade</i>	<i>Lifetime bidis use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	No	156	100	100	100
	Total	156	100	.	.
	No	135	100	100	100
	Total	135	100	.	.
	No	143	100	100	100
	Total	143	100	.	.
	No	174	100	100	100
	Total	174	100	.	.
	No	118	100	100	100
	Total	118	100	.	.
	No	110	100	100	100
	Total	110	100	.	.
	No	836	100	100	100
	Total	836	100	.	.

TOBACCO USE
Lifetime kreteks use (Q19)

<i>Grade</i>	<i>Lifetime kreteks use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	0	.	.	.
	No	156	100.0	100.0	100.0
	Total	156	100.0	.	.
8th	Yes	0	.	.	.
	No	135	100.0	100.0	100.0
	Total	135	100.0	.	.
9th	Yes	0	.	.	.
	No	143	100.0	100.0	100.0
	Total	143	100.0	.	.
10th	Yes	0	.	.	.
	No	174	100.0	100.0	100.0
	Total	174	100.0	.	.
11th	Yes	0	.	.	.
	No	118	100.0	100.0	100.0
	Total	118	100.0	.	.
12th	Yes	1	1.0	0.0	2.9
	No	109	99.0	97.1	100.0
	Total	110	100.0	.	.
Total	Yes	1	0.1	0.0	0.4
	No	835	99.9	99.6	100.0
	Total	836	100.0	.	.

TOBACCO USE
Lifetime hookah use (Q19)

<i>Grade</i>	<i>Lifetime hookah use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	1	0.6	0.0	1.9
	No	155	99.4	98.1	100.0
	Total	156	100.0	.	.
8th	Yes	2	1.5	0.0	3.5
	No	133	98.5	96.5	100.0
	Total	135	100.0	.	.
9th	Yes	5	3.4	0.4	6.5
	No	138	96.6	93.5	99.6
	Total	143	100.0	.	.
10th	Yes	6	3.1	0.5	5.8
	No	168	96.9	94.2	99.5
	Total	174	100.0	.	.
11th	Yes	2	1.9	0.0	4.6
	No	116	98.1	95.4	100.0
	Total	118	100.0	.	.
12th	Yes	3	2.9	0.0	6.2
	No	107	97.1	93.8	100.0
	Total	110	100.0	.	.
Total	Yes	19	2.3	1.2	3.3
	No	817	97.7	96.7	98.8
	Total	836	100.0	.	.

TOBACCO USE
Lifetime snus use (Q19)

<i>Grade</i>	<i>Lifetime snus use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	0	.	.	.
7th	No	156	100.0	100.0	100.0
	Total	156	100.0	.	.
8th	Yes	0	.	.	.
8th	No	135	100.0	100.0	100.0
	Total	135	100.0	.	.
9th	Yes	1	0.8	0.0	2.3
9th	No	142	99.2	97.7	100.0
	Total	143	100.0	.	.
10th	Yes	0	.	.	.
10th	No	174	100.0	100.0	100.0
	Total	174	100.0	.	.
11th	Yes	0	.	.	.
11th	No	118	100.0	100.0	100.0
	Total	118	100.0	.	.
12th	Yes	0	.	.	.
12th	No	110	100.0	100.0	100.0
	Total	110	100.0	.	.
	Yes	1	0.1	0.0	0.4
Total	No	835	99.9	99.6	100.0
	Total	836	100.0	.	.

TOBACCO USE
Lifetime chewing tobacco use (Q19)

<i>Grade</i>	<i>Lifetime chewing tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	2	1.3	0.0	3.1
	No	154	98.7	96.9	100.0
	Total	156	100.0	.	.
8th	Yes	0	.	.	.
	No	135	100.0	100.0	100.0
	Total	135	100.0	.	.
9th	Yes	0	.	.	.
	No	143	100.0	100.0	100.0
	Total	143	100.0	.	.
10th	Yes	2	0.5	0.0	1.1
	No	172	99.5	98.9	100.0
	Total	174	100.0	.	.
11th	Yes	2	1.3	0.0	3.3
	No	116	98.7	96.7	100.0
	Total	118	100.0	.	.
12th	Yes	2	1.2	0.0	3.0
	No	108	98.8	97.0	100.0
	Total	110	100.0	.	.
Total	Yes	8	0.7	0.2	1.2
	No	828	99.3	98.8	99.8
	Total	836	100.0	.	.

TOBACCO USE
Age of first cigarette use (Q15)

<i>Grade</i>	<i>Age of first cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	12 or younger	5	3.2	0.4	5.9
7th	Never have OR 13 or older	152	96.8	94.1	99.6
	Total	157	100.0	.	.
8th	12 or younger	3	2.2	0.0	4.7
8th	Never have OR 13 or older	131	97.8	95.3	100.0
	Total	134	100.0	.	.
9th	12 or younger	12	7.9	3.3	12.6
9th	Never have OR 13 or older	108	92.1	87.4	96.7
	Total	120	100.0	.	.
10th	12 or younger	11	6.2	2.3	10.0
10th	Never have OR 13 or older	149	93.8	90.0	97.7
	Total	160	100.0	.	.
11th	12 or younger	7	6.8	1.8	11.9
11th	Never have OR 13 or older	99	93.2	88.1	98.2
	Total	106	100.0	.	.
12th	12 or younger	7	7.8	2.2	13.5
12th	Never have OR 13 or older	83	92.2	86.5	97.8
	Total	90	100.0	.	.
	12 or younger	45	5.5	3.8	7.1
Total	Never have OR 13 or older	722	94.5	92.9	96.2
	Total	767	100.0	.	.

TOBACCO USE
Current cigarette use (Q16)

<i>Demographic characteristic</i>	<i>Current cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	1	0.3	0.0	0.9
	No	355	99.7	99.1	100.0
Male	Yes	2	0.5	0.0	1.3
	No	379	99.5	98.7	100.0
White	Yes	0	.	.	.
	No	149	100.0	100.0	100.0
Other	Yes	3	0.5	0.0	1.0
	No	631	99.5	99.0	100.0
7th	Yes	1	0.6	0.0	1.9
	No	156	99.4	98.1	100.0
8th	Yes	0	.	.	.
	No	134	100.0	100.0	100.0
9th	Yes	0	.	.	.
	No	127	100.0	100.0	100.0
10th	Yes	0	.	.	.
	No	166	100.0	100.0	100.0
11th	Yes	0	.	.	.
	No	107	100.0	100.0	100.0
12th	Yes	2	2.2	0.0	5.3
	No	93	97.8	94.7	100.0
Total	Yes	3	0.4	0.0	0.9
	No	783	99.6	99.1	100.0

TOBACCO USE
Current smokeless tobacco use (Q10)

<i>Grade</i>	<i>Current smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	3	1.9	0.0	4.1
	No	154	98.1	95.9	100.0
	Total	157	100.0	.	.
8th	Yes	1	0.8	0.0	2.2
	No	132	99.2	97.8	100.0
	Total	133	100.0	.	.
9th	Yes	1	0.8	0.0	2.5
	No	132	99.2	97.5	100.0
	Total	133	100.0	.	.
10th	Yes	3	1.2	0.0	2.7
	No	163	98.8	97.3	100.0
	Total	166	100.0	.	.
11th	Yes	2	1.4	0.0	3.4
	No	112	98.6	96.6	100.0
	Total	114	100.0	.	.
12th	Yes	4	3.6	0.0	7.2
	No	92	96.4	92.8	100.0
	Total	96	100.0	.	.
Total	Yes	14	1.5	0.7	2.4
	No	785	98.5	97.6	99.3
	Total	799	100.0	.	.

TOBACCO USE
Current vaping use (Q12)

<i>Grade</i>	<i>Current vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	8	5.0	1.6	8.4
	No	151	95.0	91.6	98.4
	Total	159	100.0	.	.
8th	Yes	7	5.3	1.5	9.1
	No	126	94.7	90.9	98.5
	Total	133	100.0	.	.
9th	Yes	14	10.1	4.9	15.4
	No	113	89.9	84.6	95.1
	Total	127	100.0	.	.
10th	Yes	15	7.8	3.6	11.9
	No	151	92.2	88.1	96.4
	Total	166	100.0	.	.
11th	Yes	14	12.5	6.1	18.9
	No	97	87.5	81.1	93.9
	Total	111	100.0	.	.
12th	Yes	10	10.8	4.4	17.2
	No	82	89.2	82.8	95.6
	Total	92	100.0	.	.
Total	Yes	68	8.3	6.3	10.3
	No	720	91.7	89.7	93.7
	Total	788	100.0	.	.

MARIJUANA USE
Lifetime marijuana use (Q30)

<i>Grade</i>	<i>Lifetime marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	12	7.7	3.5	11.9
	No	144	92.3	88.1	96.5
	Total	156	100.0	.	.
8th	Yes	8	6.1	2.0	10.2
	No	123	93.9	89.8	98.0
	Total	131	100.0	.	.
9th	Yes	24	18.3	11.5	25.1
	No	105	81.7	74.9	88.5
	Total	129	100.0	.	.
10th	Yes	22	14.6	8.6	20.7
	No	125	85.4	79.3	91.4
	Total	147	100.0	.	.
11th	Yes	21	22.8	14.2	31.4
	No	81	77.2	68.6	85.8
	Total	102	100.0	.	.
12th	Yes	31	35.4	25.4	45.4
	No	61	64.6	54.6	74.6
	Total	92	100.0	.	.
Total	Yes	118	16.1	13.4	18.9
	No	639	83.9	81.1	86.6
	Total	757	100.0	.	.

MARIJUANA USE
Age of first marijuana use (Q31)

<i>Grade</i>	<i>Age of first marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	12 or younger	5	3.2	0.4	6.0
7th	Never have OR 13 or older	150	96.8	94.0	99.6
	Total	155	100.0	.	.
8th	12 or younger	2	1.5	0.0	3.7
8th	Never have OR 13 or older	128	98.5	96.3	100.0
	Total	130	100.0	.	.
9th	12 or younger	26	19.9	12.8	27.0
9th	Never have OR 13 or older	101	80.1	73.0	87.2
	Total	127	100.0	.	.
10th	12 or younger	29	19.5	12.8	26.2
10th	Never have OR 13 or older	120	80.5	73.8	87.2
	Total	149	100.0	.	.
11th	12 or younger	24	25.9	16.9	34.8
11th	Never have OR 13 or older	79	74.1	65.2	83.1
	Total	103	100.0	.	.
12th	12 or younger	29	33.9	23.9	43.9
12th	Never have OR 13 or older	61	66.1	56.1	76.1
	Total	90	100.0	.	.
	12 or younger	115	15.8	13.1	18.5
Total	Never have OR 13 or older	639	84.2	81.5	86.9
	Total	754	100.0	.	.

MARIJUANA USE
Current marijuana use (Q32)

<i>Demographic characteristic</i>	<i>Current marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	33	9.8	6.5	13.0
	No	310	90.2	87.0	93.5
Male	Yes	29	8.5	5.5	11.5
	No	339	91.5	88.5	94.5
White	Yes	8	4.3	1.1	7.5
	No	139	95.7	92.5	98.9
Other	Yes	58	9.8	7.4	12.2
	No	552	90.2	87.8	92.6
7th	Yes	8	5.1	1.7	8.6
	No	148	94.9	91.4	98.3
8th	Yes	5	3.8	0.5	7.1
	No	126	96.2	92.9	99.5
9th	Yes	12	9.0	4.0	14.1
	No	116	91.0	85.9	96.0
10th	Yes	9	5.6	1.8	9.4
	No	141	94.4	90.6	98.2
11th	Yes	13	13.6	6.6	20.5
	No	91	86.4	79.5	93.4
12th	Yes	19	22.5	13.6	31.4
	No	72	77.5	68.6	86.4
Total	Yes	66	9.0	6.9	11.2
	No	694	91.0	88.8	93.1

OTHER DRUG USE
Lifetime prescription drug misuse (Q36)

<i>Grade</i>	<i>Lifetime Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	9	5.8	2.1	9.4
	No	147	94.2	90.6	97.9
	Total	156	100.0	.	.
8th	Yes	12	9.3	4.3	14.3
	No	117	90.7	85.7	95.7
	Total	129	100.0	.	.
9th	Yes	9	7.0	2.4	11.5
	No	118	93.0	88.5	97.6
	Total	127	100.0	.	.
10th	Yes	13	8.0	3.5	12.5
	No	141	92.0	87.5	96.5
	Total	154	100.0	.	.
11th	Yes	8	6.6	1.8	11.4
	No	98	93.4	88.6	98.2
	Total	106	100.0	.	.
12th	Yes	5	5.3	0.7	9.8
	No	89	94.7	90.2	99.3
	Total	94	100.0	.	.
Total	Yes	56	7.0	5.2	8.9
	No	710	93.0	91.1	94.8
	Total	766	100.0	.	.

OTHER DRUG USE
Age of first prescription drug misuse (Q37)

<i>Grade</i>	<i>Age of first Rx misuse</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	12 or younger	8	5.2	1.7	8.7
7th	Never have OR 13 or older	146	94.8	91.3	98.3
	Total	154	100.0	.	.
8th	12 or younger	8	6.2	2.0	10.3
8th	Never have OR 13 or older	122	93.8	89.7	98.0
	Total	130	100.0	.	.
9th	12 or younger	14	11.2	5.5	16.9
9th	Never have OR 13 or older	113	88.8	83.1	94.5
	Total	127	100.0	.	.
10th	12 or younger	14	9.4	4.5	14.3
10th	Never have OR 13 or older	138	90.6	85.7	95.5
	Total	152	100.0	.	.
11th	12 or younger	12	10.2	4.3	16.0
11th	Never have OR 13 or older	95	89.8	84.0	95.7
	Total	107	100.0	.	.
12th	12 or younger	6	6.5	1.4	11.6
12th	Never have OR 13 or older	87	93.5	88.4	98.6
	Total	93	100.0	.	.
	12 or younger	62	8.1	6.1	10.1
Total	Never have OR 13 or older	701	91.9	89.9	93.9
	Total	763	100.0	.	.

OTHER DRUG USE
Current prescription drug misuse (Q38)

<i>Grade</i>	<i>Current prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	6	3.8	0.8	6.9
	No	150	96.2	93.1	99.2
	Total	156	100.0	.	.
8th	Yes	4	3.1	0.1	6.1
	No	125	96.9	93.9	99.9
	Total	129	100.0	.	.
9th	Yes	2	1.8	0.0	4.2
	No	125	98.2	95.8	100.0
	Total	127	100.0	.	.
10th	Yes	5	4.0	0.6	7.4
	No	145	96.0	92.6	99.4
	Total	150	100.0	.	.
11th	Yes	4	3.0	0.0	6.1
	No	102	97.0	93.9	100.0
	Total	106	100.0	.	.
12th	Yes	5	5.7	0.8	10.5
	No	89	94.3	89.5	99.2
	Total	94	100.0	.	.
Total	Yes	26	3.5	2.1	4.8
	No	736	96.5	95.2	97.9
	Total	762	100.0	.	.

OTHER DRUG USE
Source of prescription drugs (Q39)

Grade	Source of prescription drugs	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
7th	I took them from a friend without asking	0	.	.	.
7th	I took them from a family member without asking	0	.	.	.
7th	I bought them from a friend	0	.	.	.
7th	I got them from a friend for free (they gave them to me)	1	16.7	0.0	47.8
	I got them from a family member for free (they gave them to me)	2	33.3	0.0	72.8
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I got them some other way	3	50.0	8.2	91.8
	Total	6	100.0	.	.
8th	I took them from a friend without asking	0	.	.	.
8th	I took them from a family member without asking	1	33.3	0.0	89.1
8th	I bought them from a friend	1	33.3	0.0	89.1
8th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	1	33.3	0.0	89.1
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I got them some other way	0	.	.	.
	Total	3	100.0	.	.
9th	I took them from a friend without asking	1	11.1	0.0	32.6
9th	I took them from a family member without asking	0	.	.	.
9th	I bought them from a friend	3	33.3	1.1	65.5
9th	I got them from a friend for free (they gave them to me)	1	11.1	0.0	32.6
	I got them from a family member for free (they gave them to me)	4	44.4	10.5	78.4
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I got them some other way	0	.	.	.
	Total	9	100.0	.	.
10th	I took them from a friend without asking	1	11.0	0.0	32.3
10th	I took them from a family member without asking	4	22.7	0.0	47.2
10th	I bought them from a friend	1	11.0	0.0	32.3
10th	I got them from a friend for free (they gave them to me)	1	11.0	0.0	32.3
	I got them from a family member for free (they gave them to me)	2	22.1	0.0	50.0
	I got them from more than one doctor and used them for non-medical reasons	1	11.0	0.0	32.3
	I got them from just one doctor and used them for non-medical reasons	1	11.0	0.0	32.3
	I got them some other way	0	.	.	.
	Total	11	100.0	.	.
11th	I took them from a friend without asking	1	21.2	0.0	59.2
11th	I took them from a family member without asking	1	7.7	0.0	23.6

OTHER DRUG USE
Source of prescription drugs (Q39)

<i>Grade</i>	<i>Source of prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
11th	I bought them from a friend	2	28.8	0.0	68.4
11th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	2	42.3	0.0	87.2
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I got them some other way	0	.	.	.
	Total	6	100.0	.	.
12th	I took them from a friend without asking	0	.	.	.
12th	I took them from a family member without asking	1	20.0	0.0	56.6
12th	I bought them from a friend	1	20.0	0.0	56.6
12th	I got them from a friend for free (they gave them to me)	2	40.0	0.0	84.9
	I got them from a family member for free (they gave them to me)	1	20.0	0.0	56.6
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I got them some other way	0	.	.	.
	Total	5	100.0	.	.
	I took them from a friend without asking	3	8.6	0.0	18.3
	I took them from a family member without asking	7	11.4	1.9	20.9
	I bought them from a friend	8	20.9	7.1	34.6
Total	I got them from a friend for free (they gave them to me)	5	13.4	2.0	24.8
	I got them from a family member for free (they gave them to me)	12	33.3	17.4	49.3
	I got them from more than one doctor and used them for non-medical reasons	1	2.5	0.0	7.6
	I got them from just one doctor and used them for non-medical reasons	1	2.5	0.0	7.6
	I got them some other way	3	7.5	0.0	16.0
	Total	40	100.0	.	.

OTHER DRUG USE
Source of prescription pain relievers (Q43)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	I took them from a friend without asking	1	20.0	0.0	57.8
7th	I took them from a family member without asking	0	.	.	.
7th	I bought them from a friend	0	.	.	.
7th	I bought them from a family member	0	.	.	.
7th	I got them from a friend for free (they gave them to me)	1	20.0	0.0	57.8
	I got them from a family member for free (they gave them to me)	3	60.0	13.7	100.0
	I bought them from someone else	0	.	.	.
	Total	5	100.0	.	.
8th	I took them from a friend without asking	0	.	.	.
8th	I took them from a family member without asking	1	33.3	0.0	90.8
8th	I bought them from a friend	0	.	.	.
8th	I bought them from a family member	0	.	.	.
8th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	2	66.7	9.2	100.0
	I bought them from someone else	0	.	.	.
	Total	3	100.0	.	.
9th	I took them from a friend without asking	1	16.7	0.0	48.8
9th	I took them from a family member without asking	0	.	.	.
9th	I bought them from a friend	1	16.7	0.0	48.8
9th	I bought them from a family member	0	.	.	.
9th	I got them from a friend for free (they gave them to me)	1	16.7	0.0	48.8
	I got them from a family member for free (they gave them to me)	3	50.0	6.9	93.1
	I bought them from someone else	0	.	.	.
	Total	6	100.0	.	.
10th	I took them from a friend without asking	1	29.8	0.0	81.9
10th	I took them from a family member without asking	0	.	.	.
10th	I bought them from a friend	1	29.8	0.0	81.9
10th	I bought them from a family member	0	.	.	.
10th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	2	40.3	0.0	94.0
	I bought them from someone else	0	.	.	.
	Total	4	100.0	.	.
11th	I took them from a friend without asking	1	33.3	0.0	90.8
11th	I took them from a family member without asking	0	.	.	.
11th	I bought them from a friend	1	33.3	0.0	90.8
11th	I bought them from a family member	0	.	.	.
11th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	1	33.3	0.0	90.8

OTHER DRUG USE
Source of prescription pain relievers (Q43)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I bought them from someone else	0	.	.	.
	Total	3	100.0	.	.
12th	I took them from a friend without asking	0	.	.	.
12th	I took them from a family member without asking	0	.	.	.
12th	I bought them from a friend	1	33.3	0.0	90.8
12th	I bought them from a family member	1	33.3	0.0	90.8
12th	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	0	.	.	.
	I bought them from someone else	1	33.3	0.0	90.8
	Total	3	100.0	.	.
	I took them from a friend without asking	4	17.4	0.7	34.2
	I took them from a family member without asking	1	3.9	0.0	12.0
	I bought them from a friend	4	17.7	0.8	34.7
	I bought them from a family member	1	4.2	0.0	13.0
Total	I got them from a friend for free (they gave them to me)	2	8.6	0.0	21.0
	I got them from a family member for free (they gave them to me)	11	43.9	22.2	65.5
	I bought them from someone else	1	4.2	0.0	13.0
	Total	24	100.0	.	.

OTHER DRUG USE
Lifetime Rx pain reliever misuse (Q40)

<i>Grade</i>	<i>Lifetime Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	6	3.8	0.8	6.9
	No	150	96.2	93.1	99.2
	Total	156	100.0	.	.
8th	Yes	6	4.7	1.0	8.4
	No	121	95.3	91.6	99.0
	Total	127	100.0	.	.
9th	Yes	3	2.7	0.0	5.6
	No	123	97.3	94.4	100.0
	Total	126	100.0	.	.
10th	Yes	5	3.4	0.3	6.5
	No	146	96.6	93.5	99.7
	Total	151	100.0	.	.
11th	Yes	3	2.6	0.0	5.7
	No	102	97.4	94.3	100.0
	Total	105	100.0	.	.
12th	Yes	3	3.4	0.0	7.1
	No	93	96.6	92.9	100.0
	Total	96	100.0	.	.
Total	Yes	26	3.5	2.1	4.8
	No	735	96.5	95.2	97.9
	Total	761	100.0	.	.

OTHER DRUG USE
Age of first Rx pain reliever misuse (Q41)

<i>Grade</i>	<i>Age of first Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	12 or younger	6	3.8	0.8	6.9
7th	Never have OR 13 or older	150	96.2	93.1	99.2
	Total	156	100.0	.	.
8th	12 or younger	5	3.9	0.5	7.3
8th	Never have OR 13 or older	122	96.1	92.7	99.5
	Total	127	100.0	.	.
9th	12 or younger	5	4.4	0.6	8.2
9th	Never have OR 13 or older	121	95.6	91.8	99.4
	Total	126	100.0	.	.
10th	12 or younger	7	4.9	1.2	8.5
10th	Never have OR 13 or older	147	95.1	91.5	98.8
	Total	154	100.0	.	.
11th	12 or younger	4	4.3	0.2	8.5
11th	Never have OR 13 or older	102	95.7	91.5	99.8
	Total	106	100.0	.	.
12th	12 or younger	2	2.2	0.0	5.3
12th	Never have OR 13 or older	94	97.8	94.7	100.0
	Total	96	100.0	.	.
	12 or younger	29	4.0	2.6	5.5
Total	Never have OR 13 or older	736	96.0	94.5	97.4
	Total	765	100.0	.	.

OTHER DRUG USE
Current Rx pain reliever misuse (Q42)

<i>Grade</i>	<i>Current prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	5	3.2	0.4	6.0
	No	151	96.8	94.0	99.6
	Total	156	100.0	.	.
8th	Yes	5	3.9	0.5	7.3
	No	123	96.1	92.7	99.5
	Total	128	100.0	.	.
9th	Yes	2	1.7	0.0	4.1
	No	126	98.3	95.9	100.0
	Total	128	100.0	.	.
10th	Yes	5	3.4	0.3	6.5
	No	147	96.6	93.5	99.7
	Total	152	100.0	.	.
11th	Yes	1	1.1	0.0	3.2
	No	105	98.9	96.8	100.0
	Total	106	100.0	.	.
12th	Yes	1	1.1	0.0	3.3
	No	95	98.9	96.7	100.0
	Total	96	100.0	.	.
Total	Yes	19	2.5	1.4	3.6
	No	747	97.5	96.4	98.6
	Total	766	100.0	.	.

OTHER DRUG USE
Lifetime cocaine use (Q44)

<i>Grade</i>	<i>Lifetime cocaine use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	2	1.3	0.0	3.2
	No	149	98.7	96.8	100.0
	Total	151	100.0	.	.
8th	Yes	0	.	.	.
	No	129	100.0	100.0	100.0
	Total	129	100.0	.	.
9th	Yes	0	.	.	.
	No	128	100.0	100.0	100.0
	Total	128	100.0	.	.
10th	Yes	1	0.7	0.0	2.2
	No	158	99.3	97.8	100.0
	Total	159	100.0	.	.
11th	Yes	0	.	.	.
	No	107	100.0	100.0	100.0
	Total	107	100.0	.	.
12th	Yes	0	.	.	.
	No	98	100.0	100.0	100.0
	Total	98	100.0	.	.
Total	Yes	3	0.4	0.0	0.8
	No	769	99.6	99.2	100.0
	Total	772	100.0	.	.

OTHER DRUG USE
Lifetime heroin or fentanyl use (Q45)

<i>Grade</i>	<i>Lifetime heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	2	1.3	0.0	3.1
	No	150	98.7	96.9	100.0
	Total	152	100.0	.	.
8th	Yes	0	.	.	.
	No	128	100.0	100.0	100.0
	Total	128	100.0	.	.
9th	Yes	0	.	.	.
	No	120	100.0	100.0	100.0
	Total	120	100.0	.	.
10th	Yes	1	0.8	0.0	2.4
	No	145	99.2	97.6	100.0
	Total	146	100.0	.	.
11th	Yes	0	.	.	.
	No	100	100.0	100.0	100.0
	Total	100	100.0	.	.
12th	Yes	1	1.2	0.0	3.5
	No	88	98.8	96.5	100.0
	Total	89	100.0	.	.
Total	Yes	4	0.6	0.0	1.1
	No	731	99.4	98.9	100.0
	Total	735	100.0	.	.

OTHER DRUG USE
Age of first heroin or fentanyl use (Q46)

<i>Grade</i>	<i>Age of first heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	12 or younger	1	0.7	0.0	2.0
7th	Never have OR 13 or older	150	99.3	98.0	100.0
	Total	151	100.0	.	.
8th	12 or younger	0	.	.	.
8th	Never have OR 13 or older	128	100.0	100.0	100.0
	Total	128	100.0	.	.
9th	12 or younger	3	2.8	0.0	5.8
9th	Never have OR 13 or older	118	97.2	94.2	100.0
	Total	121	100.0	.	.
10th	12 or younger	2	1.6	0.0	3.9
10th	Never have OR 13 or older	143	98.4	96.1	100.0
	Total	145	100.0	.	.
11th	12 or younger	2	2.3	0.0	5.4
11th	Never have OR 13 or older	99	97.7	94.6	100.0
	Total	101	100.0	.	.
12th	12 or younger	1	1.2	0.0	3.5
12th	Never have OR 13 or older	88	98.8	96.5	100.0
	Total	89	100.0	.	.
	12 or younger	9	1.4	0.5	2.3
Total	Never have OR 13 or older	726	98.6	97.7	99.5
	Total	735	100.0	.	.

OTHER DRUG USE
Current heroin or fentanyl use (Q47)

<i>Grade</i>	<i>Current heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	No	153	100	100	100
	Total	153	100	.	.
	No	129	100	100	100
	Total	129	100	.	.
	No	124	100	100	100
	Total	124	100	.	.
	No	149	100	100	100
	Total	149	100	.	.
	No	101	100	100	100
	Total	101	100	.	.
	No	92	100	100	100
	Total	92	100	.	.
	No	748	100	100	100
	Total	748	100	.	.

ACCESS TO SUBSTANCES
Ease of obtaining alcohol (Q72)

<i>Grade</i>	<i>Ease of obtaining alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Sort of hard OR Very hard	111	83.5	77.1	89.8
	Very easy OR Sort of easy	22	16.5	10.2	22.9
	Total	133	100.0	.	.
8th	Sort of hard OR Very hard	97	80.8	73.8	87.9
	Very easy OR Sort of easy	23	19.2	12.1	26.2
	Total	120	100.0	.	.
9th	Sort of hard OR Very hard	69	57.1	48.1	66.1
	Very easy OR Sort of easy	54	42.9	33.9	51.9
	Total	123	100.0	.	.
10th	Sort of hard OR Very hard	80	57.1	48.5	65.7
	Very easy OR Sort of easy	63	42.9	34.3	51.5
	Total	143	100.0	.	.
11th	Sort of hard OR Very hard	52	53.5	43.4	63.7
	Very easy OR Sort of easy	49	46.5	36.3	56.6
	Total	101	100.0	.	.
12th	Sort of hard OR Very hard	37	41.3	31.0	51.6
	Very easy OR Sort of easy	53	58.7	48.4	69.0
	Total	90	100.0	.	.
Total	Sort of hard OR Very hard	446	63.5	59.9	67.2
	Very easy OR Sort of easy	264	36.5	32.8	40.1
	Total	710	100.0	.	.

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	I bought it in a store	0	.	.	.
7th	I gave someone money to buy for me	0	.	.	.
7th	Someone gave it to me at a party	1	25.0	0.0	68.4
	Someone gave it to me someplace else	0	.	.	.
	I took it from a family member	0	.	.	.
	I got it some other way	3	75.0	31.6	100.0
	Total	4	100.0	.	.
8th	I bought it in a store	0	.	.	.
8th	I gave someone money to buy for me	0	.	.	.
8th	Someone gave it to me at a party	0	.	.	.
	Someone gave it to me someplace else	0	.	.	.
	I took it from a family member	0	.	.	.
	I got it some other way	1	100.0	100.0	100.0
	Total	1	100.0	.	.
9th	I bought it in a store	0	.	.	.
9th	I gave someone money to buy for me	0	.	.	.
9th	Someone gave it to me at a party	6	36.1	12.2	60.0
	Someone gave it to me someplace else	1	3.0	0.0	9.0
	I took it from a family member	5	29.5	6.8	52.2
	I got it some other way	6	31.4	8.9	53.9
	Total	18	100.0	.	.
10th	I bought it in a store	1	8.3	0.0	24.0
10th	I gave someone money to buy for me	1	8.3	0.0	24.0
10th	Someone gave it to me at a party	9	52.9	25.8	80.0
	Someone gave it to me someplace else	0	.	.	.
	I took it from a family member	3	19.4	0.0	41.0
	I got it some other way	2	11.2	0.0	27.8
	Total	16	100.0	.	.
11th	I bought it in a store	2	14.6	0.0	33.6
11th	I gave someone money to buy for me	1	7.3	0.0	21.3
11th	Someone gave it to me at a party	4	24.5	1.9	47.1
	Someone gave it to me someplace else	2	14.6	0.0	33.6
	I took it from a family member	3	21.9	0.0	44.1
	I got it some other way	3	17.2	0.0	36.7
	Total	15	100.0	.	.
12th	I bought it in a store	0	.	.	.
12th	I gave someone money to buy for me	5	22.2	4.7	39.6
12th	Someone gave it to me at a party	8	33.9	14.3	53.5

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Someone gave it to me someplace else	4	16.1	1.1	31.2
	I took it from a family member	3	11.7	0.0	24.7
	I got it some other way	4	16.1	1.1	31.2
	Total	24	100.0	.	.
	I bought it in a store	3	4.5	0.0	9.7
	I gave someone money to buy for me	7	10.0	2.8	17.1
Total	Someone gave it to me at a party	28	34.4	23.3	45.6
	Someone gave it to me someplace else	7	9.1	2.3	15.8
	I took it from a family member	14	18.6	9.3	27.9
	I got it some other way	19	23.4	13.5	33.2
	Total	78	100.0	.	.

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Nobody got it for me	6	75.0	44.6	100.0
	My parent	0	.	.	.
	Parent of friend	0	.	.	.
	Friend or family member older than 25	1	12.5	0.0	35.7
	Friend or family member age 21-25	1	12.5	0.0	35.7
	Friend or family member under age 21	0	.	.	.
	Some other adult	0	.	.	.
	Total	8	100.0	.	.
8th	Nobody got it for me	3	75.0	32.0	100.0
	My parent	1	25.0	0.0	68.0
	Parent of friend	0	.	.	.
	Friend or family member older than 25	0	.	.	.
	Friend or family member age 21-25	0	.	.	.
	Friend or family member under age 21	0	.	.	.
	Some other adult	0	.	.	.
	Total	4	100.0	.	.
9th	Nobody got it for me	23	81.5	67.8	95.2
	My parent	2	3.5	0.0	8.4
	Parent of friend	0	.	.	.
	Friend or family member older than 25	2	7.7	0.0	18.0
	Friend or family member age 21-25	1	3.8	0.0	11.3
	Friend or family member under age 21	1	1.7	0.0	5.2
	Some other adult	1	1.7	0.0	5.2
	Total	30	100.0	.	.
10th	Nobody got it for me	28	75.7	61.5	89.8
	My parent	2	6.3	0.0	14.8
	Parent of friend	1	1.1	0.0	3.3
	Friend or family member older than 25	3	5.3	0.0	12.2
	Friend or family member age 21-25	1	3.1	0.0	9.3
	Friend or family member under age 21	1	3.1	0.0	9.3
	Some other adult	3	5.3	0.0	12.2
	Total	39	100.0	.	.
11th	Nobody got it for me	15	79.4	61.5	97.3
	My parent	0	.	.	.
	Parent of friend	1	5.5	0.0	16.2
	Friend or family member older than 25	0	.	.	.
	Friend or family member age 21-25	1	2.0	0.0	6.0
	Friend or family member under age 21	1	5.5	0.0	16.2

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Some other adult	2	7.5	0.0	18.8
	Total	20	100.0	.	.
12th	Nobody got it for me	14	50.2	31.5	68.8
	My parent	1	3.7	0.0	10.8
	Parent of friend	0	.	.	.
	Friend or family member older than 25	3	9.7	0.0	20.5
	Friend or family member age 21-25	7	24.4	8.4	40.5
	Friend or family member under age 21	1	3.7	0.0	10.8
	Some other adult	3	8.4	0.0	17.9
	Total	29	100.0	.	.
Total	Nobody got it for me	89	71.8	63.8	79.8
	My parent	6	4.1	0.7	7.4
	Parent of friend	2	1.3	0.0	3.3
	Friend or family member older than 25	9	6.3	2.0	10.5
	Friend or family member age 21-25	11	8.5	3.5	13.5
	Friend or family member under age 21	4	3.0	0.0	6.1
	Some other adult	9	5.0	1.5	8.6
	Total	130	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining cigarettes (Q68)

<i>Grade</i>	<i>Ease of obtaining cigarettes</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Sort of hard OR Very hard	109	82.0	75.4	88.5
	Very easy OR Sort of easy	24	18.0	11.5	24.6
	Total	133	100.0	.	.
8th	Sort of hard OR Very hard	100	83.3	76.6	90.0
	Very easy OR Sort of easy	20	16.7	10.0	23.4
	Total	120	100.0	.	.
9th	Sort of hard OR Very hard	76	64.4	55.5	73.3
	Very easy OR Sort of easy	42	35.6	26.7	44.5
	Total	118	100.0	.	.
10th	Sort of hard OR Very hard	86	69.5	61.2	77.9
	Very easy OR Sort of easy	42	30.5	22.1	38.8
	Total	128	100.0	.	.
11th	Sort of hard OR Very hard	62	63.5	53.5	73.5
	Very easy OR Sort of easy	36	36.5	26.5	46.5
	Total	98	100.0	.	.
12th	Sort of hard OR Very hard	45	51.8	41.1	62.5
	Very easy OR Sort of easy	41	48.2	37.5	58.9
	Total	86	100.0	.	.
Total	Sort of hard OR Very hard	478	70.3	66.7	73.8
	Very easy OR Sort of easy	205	29.7	26.2	33.3
	Total	683	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining e-cigarettes or vaping pens (Q69)

<i>Grade</i>	<i>Ease of obtaining e-cigarettes or vaping pens</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Sort of hard OR Very hard	101	75.4	68.1	82.7
	Very easy OR Sort of easy	33	24.6	17.3	31.9
	Total	134	100.0	.	.
8th	Sort of hard OR Very hard	92	76.0	68.4	83.7
	Very easy OR Sort of easy	29	24.0	16.3	31.6
	Total	121	100.0	.	.
9th	Sort of hard OR Very hard	68	56.6	47.6	65.6
	Very easy OR Sort of easy	55	43.4	34.4	52.4
	Total	123	100.0	.	.
10th	Sort of hard OR Very hard	79	59.4	50.8	68.1
	Very easy OR Sort of easy	60	40.6	31.9	49.2
	Total	139	100.0	.	.
11th	Sort of hard OR Very hard	47	47.8	37.6	58.0
	Very easy OR Sort of easy	54	52.2	42.0	62.4
	Total	101	100.0	.	.
12th	Sort of hard OR Very hard	39	45.0	34.3	55.6
	Very easy OR Sort of easy	47	55.0	44.4	65.7
	Total	86	100.0	.	.
Total	Sort of hard OR Very hard	426	61.2	57.5	64.9
	Very easy OR Sort of easy	278	38.8	35.1	42.5
	Total	704	100.0	.	.

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

Grade	Source of cigarettes	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
7th	I bought them in a store	0	.	.	.
7th	I bought them from a vending machine	0	.	.	.
7th	I gave someone money to buy for me	0	.	.	.
7th	I borrowed them	0	.	.	.
7th	An adult gave them to me	0	.	.	.
	I took them from a store or family member	0	.	.	.
	Other	1	100.0	100.0	100.0
	Total	1	100.0	.	.
9th	I bought them in a store	1	29.0	0.0	81.2
9th	I bought them from a vending machine	0	.	.	.
9th	I gave someone money to buy for me	0	.	.	.
9th	I borrowed them	0	.	.	.
9th	An adult gave them to me	1	29.0	0.0	81.2
	I took them from a store or family member	0	.	.	.
	Other	2	42.1	0.0	96.8
	Total	4	100.0	.	.
10th	I bought them in a store	1	18.7	0.0	55.1
10th	I bought them from a vending machine	1	18.7	0.0	55.1
10th	I gave someone money to buy for me	0	.	.	.
10th	I borrowed them	3	43.9	0.0	89.2
10th	An adult gave them to me	0	.	.	.
	I took them from a store or family member	0	.	.	.
	Other	1	18.7	0.0	55.1
	Total	6	100.0	.	.
11th	I bought them in a store	0	.	.	.
11th	I bought them from a vending machine	0	.	.	.
11th	I gave someone money to buy for me	1	50.0	0.0	100.0
11th	I borrowed them	0	.	.	.
11th	An adult gave them to me	0	.	.	.
	I took them from a store or family member	0	.	.	.
	Other	1	50.0	0.0	100.0
	Total	2	100.0	.	.
12th	I bought them in a store	0	.	.	.
12th	I bought them from a vending machine	0	.	.	.
12th	I gave someone money to buy for me	1	20.0	0.0	58.8
12th	I borrowed them	0	.	.	.
12th	An adult gave them to me	0	.	.	.
	I took them from a store or family member	1	20.0	0.0	58.8

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
	Other	3	60.0	12.4 100.0
	Total	5	100.0	. .
	I bought them in a store	2	12.0	0.0 29.3
	I bought them from a vending machine	1	5.4	0.0 17.0
	I gave someone money to buy for me	2	12.6	0.0 30.6
	I borrowed them	3	12.8	0.0 29.1
Total	An adult gave them to me	1	6.5	0.0 20.2
	I took them from a store or family member	1	5.9	0.0 18.2
	Other	8	44.7	18.7 70.8
	Total	18	100.0	. .

ACCESS TO SUBSTANCES
Source of vaping (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted</i>		<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>	<i>Percent</i>		
7th	Store	1	16.7	0.0	47.1
7th	Someone bought them for me	0	.	.	.
	Borrowed them	2	33.3	0.0	71.8
	Someone 18 years or older gave them to me	1	16.7	0.0	47.1
	Got them some other way	2	33.3	0.0	71.8
	Total	6	100.0	.	.
8th	Store	1	14.3	0.0	40.7
8th	Someone bought them for me	1	14.3	0.0	40.7
	Borrowed them	1	14.3	0.0	40.7
	Someone 18 years or older gave them to me	0	.	.	.
	Got them some other way	4	57.1	19.8	94.5
	Total	7	100.0	.	.
9th	Store	3	15.2	0.0	32.1
9th	Someone bought them for me	2	7.9	0.0	19.3
	Borrowed them	5	30.9	8.2	53.5
	Someone 18 years or older gave them to me	1	6.2	0.0	18.1
	Got them some other way	7	39.9	16.2	63.6
	Total	18	100.0	.	.
10th	Store	7	26.7	7.0	46.3
10th	Someone bought them for me	5	22.4	3.3	41.6
	Borrowed them	4	16.4	0.0	33.0
	Someone 18 years or older gave them to me	1	6.1	0.0	17.7
	Got them some other way	6	28.5	7.6	49.4
	Total	23	100.0	.	.
11th	Store	1	5.2	0.0	15.4
11th	Someone bought them for me	5	22.9	4.1	41.6
	Borrowed them	8	38.6	16.7	60.4
	Someone 18 years or older gave them to me	3	15.7	0.0	32.3
	Got them some other way	4	17.6	0.7	34.5
	Total	21	100.0	.	.
12th	Store	6	39.3	14.6	64.0
12th	Someone bought them for me	1	6.5	0.0	19.2
	Borrowed them	4	23.8	2.6	45.0
	Someone 18 years or older gave them to me	0	.	.	.
	Got them some other way	5	30.4	7.3	53.4
	Total	16	100.0	.	.
	Store	19	19.2	10.7	27.6
Total	Someone bought them for me	14	14.3	6.8	21.8

ACCESS TO SUBSTANCES
Source of vaping (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Borrowed them	24	27.8	17.9	37.7
	Someone 18 years or older gave them to me	6	7.8	1.7	13.8
	Got them some other way	28	31.0	20.9	41.1
	Total	91	100.0	.	.

ACCESS TO SUBSTANCES
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	I bought it from a friend	1	14.3	0.0	40.7
7th	I bought it from someone else	2	28.6	0.0	62.7
7th	I gave someone else money to buy it for me	0	.	.	.
7th	Someone gave it to me at a party or social gathering	1	14.3	0.0	40.7
7th	Someone gave it to me someplace else	1	14.3	0.0	40.7
	I bought it on the internet	0	.	.	.
	I got it some other way	2	28.6	0.0	62.7
	Total	7	100.0	.	.
8th	I bought it from a friend	1	16.7	0.0	47.0
8th	I bought it from someone else	1	16.7	0.0	47.0
8th	I gave someone else money to buy it for me	0	.	.	.
8th	Someone gave it to me at a party or social gathering	1	16.7	0.0	47.0
8th	Someone gave it to me someplace else	0	.	.	.
	I bought it on the internet	1	16.7	0.0	47.0
	I got it some other way	2	33.3	0.0	71.8
	Total	6	100.0	.	.
9th	I bought it from a friend	0	.	.	.
9th	I bought it from someone else	3	16.3	0.0	33.5
9th	I gave someone else money to buy it for me	0	.	.	.
9th	Someone gave it to me at a party or social gathering	3	16.3	0.0	33.5
9th	Someone gave it to me someplace else	3	10.4	0.0	22.8
	I bought it on the internet	1	5.4	0.0	16.0
	I got it some other way	10	51.5	28.7	74.3
	Total	20	100.0	.	.
10th	I bought it from a friend	3	20.8	0.0	42.0
10th	I bought it from someone else	4	23.3	1.8	44.7
10th	I gave someone else money to buy it for me	1	6.9	0.0	20.3
10th	Someone gave it to me at a party or social gathering	3	16.3	0.0	34.9
10th	Someone gave it to me someplace else	2	13.9	0.0	32.0
	I bought it on the internet	0	.	.	.
	I got it some other way	4	18.8	0.0	37.8
	Total	17	100.0	.	.
11th	I bought it from a friend	4	20.7	2.3	39.0
11th	I bought it from someone else	2	10.3	0.0	24.1
11th	I gave someone else money to buy it for me	0	.	.	.
11th	Someone gave it to me at a party or social gathering	3	15.5	0.0	31.9
11th	Someone gave it to me someplace else	4	20.7	2.3	39.0
	I bought it on the internet	0	.	.	.

ACCESS TO SUBSTANCES
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I got it some other way	7	32.9	11.8	53.9
	Total	20	100.0	.	.
12th	I bought it from a friend	4	17.4	1.6	33.2
12th	I bought it from someone else	5	21.7	4.6	38.9
12th	I gave someone else money to buy it for me	1	4.3	0.0	12.8
12th	Someone gave it to me at a party or social gathering	7	30.4	11.3	49.6
12th	Someone gave it to me someplace else	1	4.3	0.0	12.8
	I bought it on the internet	1	4.3	0.0	12.8
	I got it some other way	4	17.4	1.6	33.2
	Total	23	100.0	.	.
	I bought it from a friend	13	14.5	7.1	22.0
	I bought it from someone else	17	18.1	10.0	26.2
	I gave someone else money to buy it for me	2	2.1	0.0	5.1
	Someone gave it to me at a party or social gathering	18	19.6	11.2	28.0
Total	Someone gave it to me someplace else	11	11.5	4.8	18.2
	I bought it on the internet	3	3.3	0.0	7.1
	I got it some other way	29	30.8	21.0	40.6
	Total	93	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining marijuana (Q74)

<i>Grade</i>	<i>Ease of obtaining marijuana</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
7th	Sort of hard OR Very hard	112	84.2	78.0	90.4
	Very easy OR Sort of easy	21	15.8	9.6	22.0
	Total	133	100.0	.	.
8th	Sort of hard OR Very hard	98	83.1	76.3	89.8
	Very easy OR Sort of easy	20	16.9	10.2	23.7
	Total	118	100.0	.	.
9th	Sort of hard OR Very hard	73	59.9	50.9	68.8
	Very easy OR Sort of easy	49	40.1	31.2	49.1
	Total	122	100.0	.	.
10th	Sort of hard OR Very hard	85	57.0	48.4	65.6
	Very easy OR Sort of easy	59	43.0	34.4	51.6
	Total	144	100.0	.	.
11th	Sort of hard OR Very hard	51	48.0	38.0	58.0
	Very easy OR Sort of easy	54	52.0	42.0	62.0
	Total	105	100.0	.	.
12th	Sort of hard OR Very hard	39	43.6	33.0	54.2
	Very easy OR Sort of easy	47	56.4	45.8	67.0
	Total	86	100.0	.	.
Total	Sort of hard OR Very hard	458	64.0	60.3	67.6
	Very easy OR Sort of easy	250	36.0	32.4	39.7
	Total	708	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining heroin or fentanyl (Q75)

<i>Grade</i>	<i>Ease of obtaining heroin or fentanyl</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Sort of hard OR Very hard	125	94.7	90.9	98.5
	Very easy OR Sort of easy	7	5.3	1.5	9.1
	Total	132	100.0	.	.
8th	Sort of hard OR Very hard	113	95.8	92.1	99.4
	Very easy OR Sort of easy	5	4.2	0.6	7.9
	Total	118	100.0	.	.
9th	Sort of hard OR Very hard	115	95.5	91.8	99.2
	Very easy OR Sort of easy	6	4.5	0.8	8.2
	Total	121	100.0	.	.
10th	Sort of hard OR Very hard	127	90.2	84.9	95.4
	Very easy OR Sort of easy	13	9.8	4.6	15.1
	Total	140	100.0	.	.
11th	Sort of hard OR Very hard	94	92.1	86.8	97.4
	Very easy OR Sort of easy	9	7.9	2.6	13.2
	Total	103	100.0	.	.
12th	Sort of hard OR Very hard	81	93.7	88.4	99.1
	Very easy OR Sort of easy	5	6.3	0.9	11.6
	Total	86	100.0	.	.
Total	Sort of hard OR Very hard	655	93.7	91.9	95.6
	Very easy OR Sort of easy	45	6.3	4.4	8.1
	Total	700	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining prescription drugs (Q70)

<i>Grade</i>	<i>Ease of obtaining prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Sort of hard OR Very hard	115	84.6	78.5	90.6
	Very easy OR Sort of easy	21	15.4	9.4	21.5
	Total	136	100.0	.	.
8th	Sort of hard OR Very hard	104	87.4	81.4	93.4
	Very easy OR Sort of easy	15	12.6	6.6	18.6
	Total	119	100.0	.	.
9th	Sort of hard OR Very hard	94	78.6	71.1	86.2
	Very easy OR Sort of easy	26	21.4	13.8	28.9
	Total	120	100.0	.	.
10th	Sort of hard OR Very hard	96	70.1	61.9	78.3
	Very easy OR Sort of easy	40	29.9	21.7	38.1
	Total	136	100.0	.	.
11th	Sort of hard OR Very hard	68	69.5	60.0	78.9
	Very easy OR Sort of easy	32	30.5	21.1	40.0
	Total	100	100.0	.	.
12th	Sort of hard OR Very hard	64	75.4	65.9	84.8
	Very easy OR Sort of easy	20	24.6	15.2	34.1
	Total	84	100.0	.	.
Total	Sort of hard OR Very hard	541	78.1	74.9	81.3
	Very easy OR Sort of easy	154	21.9	18.7	25.1
	Total	695	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining prescription pain relievers (Q71)

<i>Grade</i>	<i>Ease of obtaining prescription pain relievers</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
7th	Sort of hard OR Very hard	113	83.7	77.5 89.9
	Very easy OR Sort of easy	22	16.3	10.1 22.5
	Total	135	100.0	. .
8th	Sort of hard OR Very hard	105	87.5	81.6 93.4
	Very easy OR Sort of easy	15	12.5	6.6 18.4
	Total	120	100.0	. .
9th	Sort of hard OR Very hard	97	82.6	75.5 89.7
	Very easy OR Sort of easy	20	17.4	10.3 24.5
	Total	117	100.0	. .
10th	Sort of hard OR Very hard	101	77.1	69.6 84.7
	Very easy OR Sort of easy	31	22.9	15.3 30.4
	Total	132	100.0	. .
11th	Sort of hard OR Very hard	70	73.8	64.7 82.9
	Very easy OR Sort of easy	27	26.2	17.1 35.3
	Total	97	100.0	. .
12th	Sort of hard OR Very hard	69	81.7	73.1 90.3
	Very easy OR Sort of easy	14	18.3	9.7 26.9
	Total	83	100.0	. .
Total	Sort of hard OR Very hard	555	81.3	78.3 84.3
	Very easy OR Sort of easy	129	18.7	15.7 21.7
	Total	684	100.0	. .

ACCESS TO SUBSTANCES
Ease of obtaining other illicit drugs (Q73)

<i>Grade</i>	<i>Ease of obtaining other illicit drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Sort of hard OR Very hard	131	96.3	93.2	99.5
	Very easy OR Sort of easy	5	3.7	0.5	6.8
	Total	136	100.0	.	.
8th	Sort of hard OR Very hard	112	95.7	92.1	99.4
	Very easy OR Sort of easy	5	4.3	0.6	7.9
	Total	117	100.0	.	.
9th	Sort of hard OR Very hard	112	93.2	88.7	97.7
	Very easy OR Sort of easy	9	6.8	2.3	11.3
	Total	121	100.0	.	.
10th	Sort of hard OR Very hard	128	90.9	85.8	96.0
	Very easy OR Sort of easy	12	9.1	4.0	14.2
	Total	140	100.0	.	.
11th	Sort of hard OR Very hard	92	90.5	84.7	96.3
	Very easy OR Sort of easy	11	9.5	3.7	15.3
	Total	103	100.0	.	.
12th	Sort of hard OR Very hard	82	92.0	86.2	97.7
	Very easy OR Sort of easy	7	8.0	2.3	13.8
	Total	89	100.0	.	.
Total	Sort of hard OR Very hard	657	93.3	91.4	95.2
	Very easy OR Sort of easy	49	6.7	4.8	8.6
	Total	706	100.0	.	.

DISAPPROVAL OF USE
Disapproval of alcohol use (Q54)

<i>Grade</i>	<i>Disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	116	85.3	79.3	91.3
	Not wrong at all OR A little bit wrong	20	14.7	8.7	20.7
	Total	136	100.0	.	.
8th	Wrong OR Very wrong	103	82.4	75.7	89.1
	Not wrong at all OR A little bit wrong	22	17.6	10.9	24.3
	Total	125	100.0	.	.
9th	Wrong OR Very wrong	2	100.0	100.0	100.0
	Not wrong at all OR A little bit wrong	0	.	.	.
	Total	2	100.0	.	.
12th	Wrong OR Very wrong	0	.	.	.
	Not wrong at all OR A little bit wrong	1	100.0	100.0	100.0
	Total	1	100.0	.	.
Total	Wrong OR Very wrong	221	83.7	79.2	88.2
	Not wrong at all OR A little bit wrong	43	16.3	11.8	20.8
	Total	264	100.0	.	.

DISAPPROVAL OF USE
Disapproval of cigarette use (Q55)

<i>Grade</i>	<i>Disapproval of cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	124	90.5	85.6	95.4
	Not wrong at all OR A little bit wrong	13	9.5	4.6	14.4
	Total	137	100.0	.	.
8th	Wrong OR Very wrong	114	90.5	85.3	95.6
	Not wrong at all OR A little bit wrong	12	9.5	4.4	14.7
	Total	126	100.0	.	.
9th	Wrong OR Very wrong	98	82.1	75.1	89.2
	Not wrong at all OR A little bit wrong	22	17.9	10.8	24.9
	Total	120	100.0	.	.
10th	Wrong OR Very wrong	121	84.7	78.4	90.9
	Not wrong at all OR A little bit wrong	22	15.3	9.1	21.6
	Total	143	100.0	.	.
11th	Wrong OR Very wrong	89	86.6	79.8	93.4
	Not wrong at all OR A little bit wrong	14	13.4	6.6	20.2
	Total	103	100.0	.	.
12th	Wrong OR Very wrong	79	86.5	79.3	93.7
	Not wrong at all OR A little bit wrong	12	13.5	6.3	20.7
	Total	91	100.0	.	.
Total	Wrong OR Very wrong	625	86.9	84.3	89.4
	Not wrong at all OR A little bit wrong	95	13.1	10.6	15.7
	Total	720	100.0	.	.

DISAPPROVAL OF USE
Disapproval of vaping (Q56)

<i>Grade</i>	<i>Disapproval of vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	109	80.1	73.4	86.9
	Not wrong at all OR A little bit wrong	27	19.9	13.1	26.6
	Total	136	100.0	.	.
8th	Wrong OR Very wrong	100	79.4	72.3	86.4
	Not wrong at all OR A little bit wrong	26	20.6	13.6	27.7
	Total	126	100.0	.	.
9th	Wrong OR Very wrong	80	67.9	59.3	76.6
	Not wrong at all OR A little bit wrong	39	32.1	23.4	40.7
	Total	119	100.0	.	.
10th	Wrong OR Very wrong	87	63.8	55.3	72.4
	Not wrong at all OR A little bit wrong	49	36.2	27.6	44.7
	Total	136	100.0	.	.
11th	Wrong OR Very wrong	74	68.7	59.7	77.8
	Not wrong at all OR A little bit wrong	35	31.3	22.2	40.3
	Total	109	100.0	.	.
12th	Wrong OR Very wrong	65	73.9	64.5	83.3
	Not wrong at all OR A little bit wrong	22	26.1	16.7	35.5
	Total	87	100.0	.	.
Total	Wrong OR Very wrong	515	72.5	69.1	75.9
	Not wrong at all OR A little bit wrong	198	27.5	24.1	30.9
	Total	713	100.0	.	.

DISAPPROVAL OF USE
Disapproval of marijuana use (Q57)

<i>Grade</i>	<i>Disapproval of marijuana use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
7th	Wrong OR Very wrong	113	83.1	76.8 89.4
	Not wrong at all OR A little bit wrong	23	16.9	10.6 23.2
	Total	136	100.0	. .
8th	Wrong OR Very wrong	110	86.6	80.7 92.6
	Not wrong at all OR A little bit wrong	17	13.4	7.4 19.3
	Total	127	100.0	. .
9th	Wrong OR Very wrong	63	57.1	47.5 66.7
	Not wrong at all OR A little bit wrong	46	42.9	33.3 52.5
	Total	109	100.0	. .
10th	Wrong OR Very wrong	77	57.4	48.2 66.5
	Not wrong at all OR A little bit wrong	51	42.6	33.5 51.8
	Total	128	100.0	. .
11th	Wrong OR Very wrong	54	50.1	40.0 60.2
	Not wrong at all OR A little bit wrong	48	49.9	39.8 60.0
	Total	102	100.0	. .
12th	Wrong OR Very wrong	45	49.5	38.8 60.3
	Not wrong at all OR A little bit wrong	41	50.5	39.7 61.2
	Total	86	100.0	. .
Total	Wrong OR Very wrong	462	65.7	62.0 69.4
	Not wrong at all OR A little bit wrong	226	34.3	30.6 38.0
	Total	688	100.0	. .

DISAPPROVAL OF USE
Disapproval of prescription drug misuse (Q58)

<i>Grade</i>	<i>Disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
7th	Wrong OR Very wrong	116	84.1	77.9 90.2
	Not wrong at all OR A little bit wrong	22	15.9	9.8 22.1
	Total	138	100.0	. .
8th	Wrong OR Very wrong	110	87.3	81.5 93.1
	Not wrong at all OR A little bit wrong	16	12.7	6.9 18.5
	Total	126	100.0	. .
9th	Wrong OR Very wrong	92	76.3	68.4 84.2
	Not wrong at all OR A little bit wrong	27	23.7	15.8 31.6
	Total	119	100.0	. .
10th	Wrong OR Very wrong	108	81.0	73.8 88.3
	Not wrong at all OR A little bit wrong	22	19.0	11.7 26.2
	Total	130	100.0	. .
11th	Wrong OR Very wrong	91	86.2	79.3 93.1
	Not wrong at all OR A little bit wrong	14	13.8	6.9 20.7
	Total	105	100.0	. .
12th	Wrong OR Very wrong	74	87.1	79.6 94.5
	Not wrong at all OR A little bit wrong	10	12.9	5.5 20.4
	Total	84	100.0	. .
Total	Wrong OR Very wrong	591	83.5	80.6 86.3
	Not wrong at all OR A little bit wrong	111	16.5	13.7 19.4
	Total	702	100.0	. .

DISAPPROVAL OF USE
Disapproval of prescription pain reliever misuse (Q59)

<i>Grade</i>	<i>Disapproval of prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	113	81.3	74.8 87.8
	Not wrong at all OR A little bit wrong	26	18.7	12.2 25.2
	Total	139	100.0	. .
8th	Wrong OR Very wrong	101	82.1	75.3 88.9
	Not wrong at all OR A little bit wrong	22	17.9	11.1 24.7
	Total	123	100.0	. .
9th	Wrong OR Very wrong	99	81.4	74.2 88.5
	Not wrong at all OR A little bit wrong	22	18.6	11.5 25.8
	Total	121	100.0	. .
10th	Wrong OR Very wrong	111	82.2	75.1 89.3
	Not wrong at all OR A little bit wrong	20	17.8	10.7 24.9
	Total	131	100.0	. .
11th	Wrong OR Very wrong	83	84.1	76.6 91.7
	Not wrong at all OR A little bit wrong	15	15.9	8.3 23.4
	Total	98	100.0	. .
12th	Wrong OR Very wrong	72	85.5	77.7 93.4
	Not wrong at all OR A little bit wrong	11	14.5	6.6 22.3
	Total	83	100.0	. .
Total	Wrong OR Very wrong	579	82.6	79.6 85.5
	Not wrong at all OR A little bit wrong	116	17.4	14.5 20.4
	Total	695	100.0	. .

DISAPPROVAL OF USE
Disapproval of heroin or fentanyl use (Q61)

<i>Grade</i>	<i>Disapproval of heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Wrong OR Very wrong	129	93.5	89.3	97.6
	Not wrong at all OR A little bit wrong	9	6.5	2.4	10.7
	Total	138	100.0	.	.
8th	Wrong OR Very wrong	119	94.4	90.4	98.5
	Not wrong at all OR A little bit wrong	7	5.6	1.5	9.6
	Total	126	100.0	.	.
9th	Wrong OR Very wrong	107	90.4	84.9	95.9
	Not wrong at all OR A little bit wrong	11	9.6	4.1	15.1
	Total	118	100.0	.	.
10th	Wrong OR Very wrong	126	91.3	86.4	96.3
	Not wrong at all OR A little bit wrong	12	8.7	3.7	13.6
	Total	138	100.0	.	.
11th	Wrong OR Very wrong	95	93.2	87.9	98.5
	Not wrong at all OR A little bit wrong	6	6.8	1.5	12.1
	Total	101	100.0	.	.
12th	Wrong OR Very wrong	82	92.0	86.2	97.7
	Not wrong at all OR A little bit wrong	7	8.0	2.3	13.8
	Total	89	100.0	.	.
Total	Wrong OR Very wrong	658	92.5	90.5	94.5
	Not wrong at all OR A little bit wrong	52	7.5	5.5	9.5
	Total	710	100.0	.	.

DISAPPROVAL OF USE
Disapproval of other illicit drug use (Q60)

<i>Grade</i>	<i>Disapproval of other illicit drug use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	129	93.5	89.3	97.6
	Not wrong at all OR A little bit wrong	9	6.5	2.4	10.7
	Total	138	100.0	.	.
8th	Wrong OR Very wrong	120	94.5	90.5	98.5
	Not wrong at all OR A little bit wrong	7	5.5	1.5	9.5
	Total	127	100.0	.	.
9th	Wrong OR Very wrong	113	92.0	87.1	96.9
	Not wrong at all OR A little bit wrong	10	8.0	3.1	12.9
	Total	123	100.0	.	.
10th	Wrong OR Very wrong	131	90.6	85.5	95.8
	Not wrong at all OR A little bit wrong	12	9.4	4.2	14.5
	Total	143	100.0	.	.
11th	Wrong OR Very wrong	91	88.4	81.8	95.0
	Not wrong at all OR A little bit wrong	11	11.6	5.0	18.2
	Total	102	100.0	.	.
12th	Wrong OR Very wrong	83	91.6	85.7	97.6
	Not wrong at all OR A little bit wrong	7	8.4	2.4	14.3
	Total	90	100.0	.	.
Total	Wrong OR Very wrong	667	91.9	89.8	94.0
	Not wrong at all OR A little bit wrong	56	8.1	6.0	10.2
	Total	723	100.0	.	.

RISK OF HARM
Risk of harm from binge use (Q65)

<i>Grade</i>	<i>Risk of harm from binge use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Moderate risk OR Great risk	117	86.7	80.9	92.4
	No risk OR Slight risk	18	13.3	7.6	19.1
	Total	135	100.0	.	.
8th	Moderate risk OR Great risk	108	85.0	78.8	91.3
	No risk OR Slight risk	19	15.0	8.7	21.2
	Total	127	100.0	.	.
9th	Moderate risk OR Great risk	96	79.0	71.5	86.5
	No risk OR Slight risk	25	21.0	13.5	28.5
	Total	121	100.0	.	.
10th	Moderate risk OR Great risk	107	77.7	70.4	85.1
	No risk OR Slight risk	31	22.3	14.9	29.6
	Total	138	100.0	.	.
11th	Moderate risk OR Great risk	82	78.9	70.8	87.0
	No risk OR Slight risk	23	21.1	13.0	29.2
	Total	105	100.0	.	.
12th	Moderate risk OR Great risk	65	64.9	55.2	74.6
	No risk OR Slight risk	32	35.1	25.4	44.8
	Total	97	100.0	.	.
Total	Moderate risk OR Great risk	575	79.4	76.3	82.4
	No risk OR Slight risk	148	20.6	17.6	23.7
	Total	723	100.0	.	.

RISK OF HARM
Risk of harm from cigarette use (Q62)

<i>Grade</i>	<i>Risk of harm from cigarette use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
7th	Moderate risk OR Great risk	115	83.3	77.1 89.6
	No risk OR Slight risk	23	16.7	10.4 22.9
	Total	138	100.0	. .
8th	Moderate risk OR Great risk	109	84.5	78.2 90.8
	No risk OR Slight risk	20	15.5	9.2 21.8
	Total	129	100.0	. .
9th	Moderate risk OR Great risk	108	89.0	83.5 94.6
	No risk OR Slight risk	15	11.0	5.4 16.5
	Total	123	100.0	. .
10th	Moderate risk OR Great risk	117	82.9	76.2 89.5
	No risk OR Slight risk	23	17.1	10.5 23.8
	Total	140	100.0	. .
11th	Moderate risk OR Great risk	94	90.5	84.7 96.4
	No risk OR Slight risk	10	9.5	3.6 15.3
	Total	104	100.0	. .
12th	Moderate risk OR Great risk	77	82.9	75.0 90.8
	No risk OR Slight risk	15	17.1	9.2 25.0
	Total	92	100.0	. .
Total	Moderate risk OR Great risk	620	85.6	83.0 88.2
	No risk OR Slight risk	106	14.4	11.8 17.0
	Total	726	100.0	. .

RISK OF HARM
Risk of harm from vaping (Q63)

<i>Grade</i>	<i>Risk of harm from vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Moderate risk OR Great risk	107	78.1	71.2	85.0
	No risk OR Slight risk	30	21.9	15.0	28.8
	Total	137	100.0	.	.
8th	Moderate risk OR Great risk	96	75.0	67.5	82.5
	No risk OR Slight risk	32	25.0	17.5	32.5
	Total	128	100.0	.	.
9th	Moderate risk OR Great risk	87	70.3	62.1	78.6
	No risk OR Slight risk	37	29.7	21.4	37.9
	Total	124	100.0	.	.
10th	Moderate risk OR Great risk	105	71.4	63.6	79.2
	No risk OR Slight risk	40	28.6	20.8	36.4
	Total	145	100.0	.	.
11th	Moderate risk OR Great risk	87	81.9	74.3	89.5
	No risk OR Slight risk	20	18.1	10.5	25.7
	Total	107	100.0	.	.
12th	Moderate risk OR Great risk	65	68.0	58.3	77.6
	No risk OR Slight risk	29	32.0	22.4	41.7
	Total	94	100.0	.	.
Total	Moderate risk OR Great risk	547	74.3	71.1	77.6
	No risk OR Slight risk	188	25.7	22.4	28.9
	Total	735	100.0	.	.

RISK OF HARM
Risk of harm from marijuana use (Q64)

<i>Grade</i>	<i>Risk of harm from marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Moderate risk OR Great risk	104	75.4	68.2	82.6
	No risk OR Slight risk	34	24.6	17.4	31.8
	Total	138	100.0	.	.
8th	Moderate risk OR Great risk	93	73.8	66.1	81.5
	No risk OR Slight risk	33	26.2	18.5	33.9
	Total	126	100.0	.	.
9th	Moderate risk OR Great risk	67	54.1	45.0	63.2
	No risk OR Slight risk	56	45.9	36.8	55.0
	Total	123	100.0	.	.
10th	Moderate risk OR Great risk	81	51.6	42.9	60.2
	No risk OR Slight risk	63	48.4	39.8	57.1
	Total	144	100.0	.	.
11th	Moderate risk OR Great risk	58	54.8	44.7	64.8
	No risk OR Slight risk	45	45.2	35.2	55.3
	Total	103	100.0	.	.
12th	Moderate risk OR Great risk	43	43.9	33.7	54.0
	No risk OR Slight risk	50	56.1	46.0	66.3
	Total	93	100.0	.	.
Total	Moderate risk OR Great risk	446	60.0	56.3	63.6
	No risk OR Slight risk	281	40.0	36.4	43.7
	Total	727	100.0	.	.

RISK OF HARM
Risk of harm from prescription drug misuse (Q66)

<i>Grade</i>	<i>Risk of harm from prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Moderate risk OR Great risk	113	83.1	76.8	89.4
	No risk OR Slight risk	23	16.9	10.6	23.2
	Total	136	100.0	.	.
8th	Moderate risk OR Great risk	111	86.7	80.8	92.6
	No risk OR Slight risk	17	13.3	7.4	19.2
	Total	128	100.0	.	.
9th	Moderate risk OR Great risk	102	85.2	78.6	91.7
	No risk OR Slight risk	18	14.8	8.3	21.4
	Total	120	100.0	.	.
10th	Moderate risk OR Great risk	115	85.4	78.9	91.8
	No risk OR Slight risk	18	14.6	8.2	21.1
	Total	133	100.0	.	.
11th	Moderate risk OR Great risk	90	90.0	83.9	96.1
	No risk OR Slight risk	10	10.0	3.9	16.1
	Total	100	100.0	.	.
12th	Moderate risk OR Great risk	70	75.0	65.8	84.2
	No risk OR Slight risk	21	25.0	15.8	34.2
	Total	91	100.0	.	.
Total	Moderate risk OR Great risk	601	84.5	81.8	87.3
	No risk OR Slight risk	107	15.5	12.7	18.2
	Total	708	100.0	.	.

RISK OF HARM
Risk of harm from prescription pain reliever misuse (Q67)

<i>Grade</i>	<i>Risk of harm from prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>			
7th	Moderate risk OR Great risk	109	79.6	72.8	86.3
	No risk OR Slight risk	28	20.4	13.7	27.2
	Total	137	100.0	.	.
8th	Moderate risk OR Great risk	107	84.3	77.9	90.6
	No risk OR Slight risk	20	15.7	9.4	22.1
	Total	127	100.0	.	.
9th	Moderate risk OR Great risk	105	89.6	83.9	95.3
	No risk OR Slight risk	12	10.4	4.7	16.1
	Total	117	100.0	.	.
10th	Moderate risk OR Great risk	109	82.6	75.4	89.7
	No risk OR Slight risk	19	17.4	10.3	24.6
	Total	128	100.0	.	.
11th	Moderate risk OR Great risk	93	87.8	81.0	94.5
	No risk OR Slight risk	11	12.2	5.5	19.0
	Total	104	100.0	.	.
12th	Moderate risk OR Great risk	78	83.5	75.6	91.4
	No risk OR Slight risk	14	16.5	8.6	24.4
	Total	92	100.0	.	.
Total	Moderate risk OR Great risk	601	84.5	81.7	87.3
	No risk OR Slight risk	104	15.5	12.7	18.3
	Total	705	100.0	.	.

RISK BEHAVIORS
Sold drugs in past year (Q48)

<i>Grade</i>	<i>Sold drugs in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	1	0.7	0.0	2.1
	No	141	99.3	97.9	100.0
	Total	142	100.0	.	.
8th	Yes	1	0.8	0.0	2.3
	No	125	99.2	97.7	100.0
	Total	126	100.0	.	.
9th	Yes	1	0.4	0.0	1.2
	No	125	99.6	98.8	100.0
	Total	126	100.0	.	.
10th	Yes	2	1.5	0.0	3.6
	No	153	98.5	96.4	100.0
	Total	155	100.0	.	.
11th	Yes	4	4.4	0.2	8.6
	No	101	95.6	91.4	99.8
	Total	105	100.0	.	.
12th	Yes	2	2.2	0.0	5.3
	No	94	97.8	94.7	100.0
	Total	96	100.0	.	.
Total	Yes	11	1.6	0.6	2.5
	No	739	98.4	97.5	99.4
	Total	750	100.0	.	.

RISK BEHAVIORS
Attacked someone related to drugs in past year (Q49)

Grade	Attacked someone related to drugs in past year	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
7th	Yes	1	0.7	0.0	2.1
7th	No	139	99.3	97.9	100.0
	Total	140	100.0	.	.
8th	Yes	0	.	.	.
8th	No	127	100.0	100.0	100.0
	Total	127	100.0	.	.
9th	Yes	0	.	.	.
9th	No	130	100.0	100.0	100.0
	Total	130	100.0	.	.
10th	Yes	1	0.3	0.0	0.8
10th	No	154	99.7	99.2	100.0
	Total	155	100.0	.	.
11th	Yes	1	1.1	0.0	3.2
11th	No	106	98.9	96.8	100.0
	Total	107	100.0	.	.
12th	Yes	5	5.4	0.8	10.1
12th	No	94	94.6	89.9	99.2
	Total	99	100.0	.	.
	Yes	8	1.1	0.3	1.8
Total	No	750	98.9	98.2	99.7
	Total	758	100.0	.	.

RISK BEHAVIORS
Drunk or high at school in past year (Q50)

Grade	<i>Drunk or high at school in past year</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Yes	1	0.7	0.0	2.1
	No	140	99.3	97.9	100.0
	Total	141	100.0	.	.
8th	Yes	3	2.4	0.0	5.1
	No	121	97.6	94.9	100.0
	Total	124	100.0	.	.
9th	Yes	10	6.9	2.5	11.3
	No	116	93.1	88.7	97.5
	Total	126	100.0	.	.
10th	Yes	9	6.3	2.2	10.3
	No	149	93.7	89.7	97.8
	Total	158	100.0	.	.
11th	Yes	10	9.8	3.9	15.6
	No	100	90.2	84.4	96.1
	Total	110	100.0	.	.
12th	Yes	11	11.9	5.3	18.6
	No	85	88.1	81.4	94.7
	Total	96	100.0	.	.
Total	Yes	44	6.0	4.2	7.7
	No	711	94.0	92.3	95.8
	Total	755	100.0	.	.

RISK BEHAVIORS
Rode with drinking driver in past month (Q29)

<i>Grade</i>	<i>Rode with drinking driver in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	27	17.4	11.4	23.4
	No	128	82.6	76.6	88.6
	Total	155	100.0	.	.
8th	Yes	13	9.9	4.8	15.1
	No	118	90.1	84.9	95.2
	Total	131	100.0	.	.
9th	Yes	22	18.5	11.5	25.6
	No	103	81.5	74.4	88.5
	Total	125	100.0	.	.
10th	Yes	21	13.2	7.6	18.7
	No	137	86.8	81.3	92.4
	Total	158	100.0	.	.
11th	Yes	18	17.5	10.0	25.0
	No	91	82.5	75.0	90.0
	Total	109	100.0	.	.
12th	Yes	13	14.4	7.1	21.7
	No	81	85.6	78.3	92.9
	Total	94	100.0	.	.
Total	Yes	114	15.2	12.6	17.9
	No	658	84.8	82.1	87.4
	Total	772	100.0	.	.

RISK BEHAVIORS
Drove after drinking in past month (Q28)

<i>Grade</i>	<i>Drove after drinking in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Yes	0	.	.	.
	No	157	100.0	100.0	100.0
	Total	157	100.0	.	.
8th	Yes	1	0.8	0.0	2.2
	No	132	99.2	97.8	100.0
	Total	133	100.0	.	.
9th	Yes	2	1.7	0.0	4.1
	No	126	98.3	95.9	100.0
	Total	128	100.0	.	.
10th	Yes	2	1.4	0.0	3.4
	No	162	98.6	96.6	100.0
	Total	164	100.0	.	.
11th	Yes	2	2.1	0.0	5.0
	No	106	97.9	95.0	100.0
	Total	108	100.0	.	.
12th	Yes	6	6.6	1.5	11.7
	No	91	93.4	88.3	98.5
	Total	97	100.0	.	.
Total	Yes	13	1.8	0.8	2.8
	No	774	98.2	97.2	99.2
	Total	787	100.0	.	.

RISK BEHAVIORS
Rode with driver using marijuana in past month (Q35)

Grade	Rode with driver using marijuana in past month	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
7th	Yes	23	14.9	9.3	20.6
	No	131	85.1	79.4	90.7
	Total	154	100.0	.	.
8th	Yes	10	7.8	3.1	12.4
	No	119	92.2	87.6	96.9
	Total	129	100.0	.	.
9th	Yes	27	23.0	15.4	30.7
	No	100	77.0	69.3	84.6
	Total	127	100.0	.	.
10th	Yes	20	13.5	7.8	19.2
	No	137	86.5	80.8	92.2
	Total	157	100.0	.	.
11th	Yes	25	25.1	16.6	33.7
	No	86	74.9	66.3	83.4
	Total	111	100.0	.	.
12th	Yes	19	20.5	12.2	28.7
	No	79	79.5	71.3	87.8
	Total	98	100.0	.	.
Total	Yes	124	17.2	14.4	20.0
	No	652	82.8	80.0	85.6
	Total	776	100.0	.	.

RISK BEHAVIORS
Drove after using marijuana in past month (Q34)

<i>Grade</i>	<i>Drove after using marijuana in past month</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Yes	4	2.6	0.1	5.2
	No	147	97.4	94.8	99.9
	Total	151	100.0	.	.
8th	Yes	1	0.8	0.0	2.4
	No	121	99.2	97.6	100.0
	Total	122	100.0	.	.
9th	Yes	3	2.0	0.0	4.4
	No	131	98.0	95.6	100.0
	Total	134	100.0	.	.
10th	Yes	6	3.8	0.7	6.8
	No	160	96.2	93.2	99.3
	Total	166	100.0	.	.
11th	Yes	12	12.3	5.8	18.7
	No	100	87.7	81.3	94.2
	Total	112	100.0	.	.
12th	Yes	16	16.7	9.3	24.2
	No	87	83.3	75.8	90.7
	Total	103	100.0	.	.
Total	Yes	42	5.8	4.1	7.5
	No	746	94.2	92.5	95.9
	Total	788	100.0	.	.

RISK BEHAVIORS
Drinking is central part of school social life (Q51)

<i>Grade</i>	<i>Drinking is central part of school social life</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Quite a lot OR A great deal	0	.	.	.
	Very little or none OR Some	136	100.0	100.0	100.0
	Total	136	100.0	.	.
8th	Quite a lot OR A great deal	2	1.6	0.0	3.8
	Very little or none OR Some	123	98.4	96.2	100.0
	Total	125	100.0	.	.
9th	Quite a lot OR A great deal	0	.	.	.
	Very little or none OR Some	2	100.0	100.0	100.0
	Total	2	100.0	.	.
12th	Quite a lot OR A great deal	1	100.0	100.0	100.0
	Very little or none OR Some	0	.	.	.
	Total	1	100.0	.	.
Total	Quite a lot OR A great deal	3	1.2	0.0	2.5
	Very little or none OR Some	261	98.8	97.5	100.0
	Total	264	100.0	.	.

RISK BEHAVIORS
Students use alcohol at school sporting events (Q52)

<i>Grade</i>	<i>Students use alcohol at school sporting events</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Quite a lot OR A great deal	1	0.8	0.0	2.3
	Very little or none OR Some	127	99.2	97.7	100.0
	Total	128	100.0	.	.
8th	Quite a lot OR A great deal	1	0.9	0.0	2.6
	Very little or none OR Some	114	99.1	97.4	100.0
	Total	115	100.0	.	.
9th	Quite a lot OR A great deal	10	19.2	8.6	29.9
	Very little or none OR Some	48	80.8	70.1	91.4
	Total	58	100.0	.	.
10th	Quite a lot OR A great deal	4	5.6	0.0	11.5
	Very little or none OR Some	55	94.4	88.5	100.0
	Total	59	100.0	.	.
11th	Quite a lot OR A great deal	10	21.1	9.5	32.7
	Very little or none OR Some	45	78.9	67.3	90.5
	Total	55	100.0	.	.
12th	Quite a lot OR A great deal	8	14.4	5.0	23.8
	Very little or none OR Some	48	85.6	76.2	95.0
	Total	56	100.0	.	.
Total	Quite a lot OR A great deal	34	7.9	5.3	10.5
	Very little or none OR Some	437	92.1	89.5	94.7
	Total	471	100.0	.	.

RISK BEHAVIORS
Students use alcohol on school property (Q53)

<i>Grade</i>	<i>Students use alcohol on school property</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Quite a lot OR A great deal	2	1.6	0.0	3.7
	Very little or none OR Some	126	98.4	96.3	100.0
	Total	128	100.0	.	.
8th	Quite a lot OR A great deal	1	0.9	0.0	2.5
	Very little or none OR Some	116	99.1	97.5	100.0
	Total	117	100.0	.	.
9th	Quite a lot OR A great deal	6	10.9	2.4	19.4
	Very little or none OR Some	50	89.1	80.6	97.6
	Total	56	100.0	.	.
10th	Quite a lot OR A great deal	9	16.1	6.2	25.9
	Very little or none OR Some	56	83.9	74.1	93.8
	Total	65	100.0	.	.
11th	Quite a lot OR A great deal	7	15.0	4.8	25.3
	Very little or none OR Some	46	85.0	74.7	95.2
	Total	53	100.0	.	.
12th	Quite a lot OR A great deal	5	9.5	1.5	17.6
	Very little or none OR Some	49	90.5	82.4	98.5
	Total	54	100.0	.	.
Total	Quite a lot OR A great deal	30	6.8	4.4	9.2
	Very little or none OR Some	443	93.2	90.8	95.6
	Total	473	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of alcohol use (Q76)

<i>Grade</i>	<i>Parental disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	127	94.1	90.1	98.1
	Not wrong at all OR A little bit wrong	8	5.9	1.9	9.9
	Total	135	100.0	.	.
8th	Wrong OR Very wrong	117	97.5	94.7	100.0
	Not wrong at all OR A little bit wrong	3	2.5	0.0	5.3
	Total	120	100.0	.	.
9th	Wrong OR Very wrong	110	94.7	90.4	98.9
	Not wrong at all OR A little bit wrong	6	5.3	1.1	9.6
	Total	116	100.0	.	.
10th	Wrong OR Very wrong	129	92.1	87.5	96.7
	Not wrong at all OR A little bit wrong	12	7.9	3.3	12.5
	Total	141	100.0	.	.
11th	Wrong OR Very wrong	96	93.9	89.0	98.8
	Not wrong at all OR A little bit wrong	6	6.1	1.2	11.0
	Total	102	100.0	.	.
12th	Wrong OR Very wrong	65	79.4	70.5	88.3
	Not wrong at all OR A little bit wrong	17	20.6	11.7	29.5
	Total	82	100.0	.	.
Total	Wrong OR Very wrong	644	92.7	90.7	94.7
	Not wrong at all OR A little bit wrong	52	7.3	5.3	9.3
	Total	696	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of cigarette use (Q77)

<i>Grade</i>	<i>Parental disapproval of cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	130	97.7	95.2	100.0
	Not wrong at all OR A little bit wrong	3	2.3	0.0	4.8
	Total	133	100.0	.	.
8th	Wrong OR Very wrong	118	98.3	96.0	100.0
	Not wrong at all OR A little bit wrong	2	1.7	0.0	4.0
	Total	120	100.0	.	.
9th	Wrong OR Very wrong	104	95.5	91.6	99.5
	Not wrong at all OR A little bit wrong	5	4.5	0.5	8.4
	Total	109	100.0	.	.
10th	Wrong OR Very wrong	134	94.4	90.4	98.4
	Not wrong at all OR A little bit wrong	8	5.6	1.6	9.6
	Total	142	100.0	.	.
11th	Wrong OR Very wrong	95	95.7	91.7	99.7
	Not wrong at all OR A little bit wrong	5	4.3	0.3	8.3
	Total	100	100.0	.	.
12th	Wrong OR Very wrong	80	98.7	96.0	100.0
	Not wrong at all OR A little bit wrong	1	1.3	0.0	4.0
	Total	81	100.0	.	.
Total	Wrong OR Very wrong	661	96.7	95.3	98.0
	Not wrong at all OR A little bit wrong	24	3.3	2.0	4.7
	Total	685	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of vaping (Q78)

<i>Grade</i>	<i>Parental disapproval of vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	128	96.2	93.0	99.5
	Not wrong at all OR A little bit wrong	5	3.8	0.5	7.0
	Total	133	100.0	.	.
8th	Wrong OR Very wrong	115	94.3	90.1	98.4
	Not wrong at all OR A little bit wrong	7	5.7	1.6	9.9
	Total	122	100.0	.	.
9th	Wrong OR Very wrong	97	89.0	83.0	95.1
	Not wrong at all OR A little bit wrong	12	11.0	4.9	17.0
	Total	109	100.0	.	.
10th	Wrong OR Very wrong	116	88.5	82.8	94.3
	Not wrong at all OR A little bit wrong	15	11.5	5.7	17.2
	Total	131	100.0	.	.
11th	Wrong OR Very wrong	92	92.6	87.1	98.0
	Not wrong at all OR A little bit wrong	7	7.4	2.0	12.9
	Total	99	100.0	.	.
12th	Wrong OR Very wrong	72	90.3	83.5	97.1
	Not wrong at all OR A little bit wrong	7	9.7	2.9	16.5
	Total	79	100.0	.	.
Total	Wrong OR Very wrong	620	92.1	90.0	94.2
	Not wrong at all OR A little bit wrong	53	7.9	5.8	10.0
	Total	673	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of marijuana use (Q79)

<i>Grade</i>	<i>Parental disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	128	94.1	90.2	98.1
	Not wrong at all OR A little bit wrong	8	5.9	1.9	9.8
	Total	136	100.0	.	.
8th	Wrong OR Very wrong	119	94.4	90.4	98.5
	Not wrong at all OR A little bit wrong	7	5.6	1.5	9.6
	Total	126	100.0	.	.
9th	Wrong OR Very wrong	96	88.0	81.8	94.3
	Not wrong at all OR A little bit wrong	13	12.0	5.7	18.2
	Total	109	100.0	.	.
10th	Wrong OR Very wrong	116	84.9	78.4	91.4
	Not wrong at all OR A little bit wrong	19	15.1	8.6	21.6
	Total	135	100.0	.	.
11th	Wrong OR Very wrong	82	85.0	77.3	92.6
	Not wrong at all OR A little bit wrong	13	15.0	7.4	22.7
	Total	95	100.0	.	.
12th	Wrong OR Very wrong	66	79.2	70.1	88.3
	Not wrong at all OR A little bit wrong	16	20.8	11.7	29.9
	Total	82	100.0	.	.
Total	Wrong OR Very wrong	607	88.4	85.9	90.9
	Not wrong at all OR A little bit wrong	76	11.6	9.1	14.1
	Total	683	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of prescription drug misuse (Q80)

<i>Grade</i>	<i>Parental disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	127	94.1	90.1 98.1
7th	Not wrong at all OR A little bit wrong	8	5.9	1.9 9.9
	Total	135	100.0	. .
8th	Wrong OR Very wrong	117	95.1	91.3 98.9
8th	Not wrong at all OR A little bit wrong	6	4.9	1.1 8.7
	Total	123	100.0	. .
9th	Wrong OR Very wrong	106	90.1	84.5 95.8
9th	Not wrong at all OR A little bit wrong	11	9.9	4.2 15.5
	Total	117	100.0	. .
10th	Wrong OR Very wrong	124	89.0	83.5 94.6
10th	Not wrong at all OR A little bit wrong	14	11.0	5.4 16.5
	Total	138	100.0	. .
11th	Wrong OR Very wrong	97	96.5	92.7 100.0
11th	Not wrong at all OR A little bit wrong	3	3.5	0.0 7.3
	Total	100	100.0	. .
12th	Wrong OR Very wrong	77	94.7	89.6 99.8
12th	Not wrong at all OR A little bit wrong	4	5.3	0.2 10.4
	Total	81	100.0	. .
Total	Wrong OR Very wrong	648	93.1	91.2 95.1
	Not wrong at all OR A little bit wrong	46	6.9	4.9 8.8
	Total	694	100.0	. .

PARENTAL DISAPPROVAL
Parental disapproval of prescription pain reliever misuse (Q81)

<i>Grade</i>	<i>Parental disapproval of prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	118	88.7	83.3 94.1
	Not wrong at all OR A little bit wrong	15	11.3	5.9 16.7
	Total	133	100.0	. .
8th	Wrong OR Very wrong	113	92.6	88.0 97.3
	Not wrong at all OR A little bit wrong	9	7.4	2.7 12.0
	Total	122	100.0	. .
9th	Wrong OR Very wrong	101	95.3	91.2 99.5
	Not wrong at all OR A little bit wrong	5	4.7	0.5 8.8
	Total	106	100.0	. .
10th	Wrong OR Very wrong	125	94.4	90.2 98.6
	Not wrong at all OR A little bit wrong	7	5.6	1.4 9.8
	Total	132	100.0	. .
11th	Wrong OR Very wrong	89	95.0	90.2 99.8
	Not wrong at all OR A little bit wrong	4	5.0	0.2 9.8
	Total	93	100.0	. .
12th	Wrong OR Very wrong	75	97.2	93.3 100.0
	Not wrong at all OR A little bit wrong	2	2.8	0.0 6.7
	Total	77	100.0	. .
Total	Wrong OR Very wrong	621	93.5	91.6 95.4
	Not wrong at all OR A little bit wrong	42	6.5	4.6 8.4
	Total	663	100.0	. .

PARENTAL DISAPPROVAL
Parental disapproval of heroin or fentanyl use (Q82)

<i>Grade</i>	<i>Parental disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	130	99.2	97.7	100.0
	Not wrong at all OR A little bit wrong	1	0.8	0.0	2.3
	Total	131	100.0	.	.
8th	Wrong OR Very wrong	121	98.4	96.1	100.0
	Not wrong at all OR A little bit wrong	2	1.6	0.0	3.9
	Total	123	100.0	.	.
9th	Wrong OR Very wrong	104	97.9	95.0	100.0
	Not wrong at all OR A little bit wrong	2	2.1	0.0	5.0
	Total	106	100.0	.	.
10th	Wrong OR Very wrong	127	95.2	91.3	99.1
	Not wrong at all OR A little bit wrong	6	4.8	0.9	8.7
	Total	133	100.0	.	.
11th	Wrong OR Very wrong	93	96.4	92.3	100.0
	Not wrong at all OR A little bit wrong	3	3.6	0.0	7.7
	Total	96	100.0	.	.
12th	Wrong OR Very wrong	80	98.7	96.1	100.0
	Not wrong at all OR A little bit wrong	1	1.3	0.0	3.9
	Total	81	100.0	.	.
Total	Wrong OR Very wrong	655	97.7	96.5	98.9
	Not wrong at all OR A little bit wrong	15	2.3	1.1	3.5
	Total	670	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of alcohol use (Q83)

<i>Grade</i>	<i>Peer disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	118	86.8	81.1	92.5
	Not wrong at all OR A little bit wrong	18	13.2	7.5	18.9
	Total	136	100.0	.	.
8th	Wrong OR Very wrong	107	87.0	81.0	93.0
	Not wrong at all OR A little bit wrong	16	13.0	7.0	19.0
	Total	123	100.0	.	.
9th	Wrong OR Very wrong	75	69.5	60.6	78.4
	Not wrong at all OR A little bit wrong	33	30.5	21.6	39.4
	Total	108	100.0	.	.
10th	Wrong OR Very wrong	99	72.5	64.5	80.5
	Not wrong at all OR A little bit wrong	37	27.5	19.5	35.5
	Total	136	100.0	.	.
11th	Wrong OR Very wrong	65	66.8	57.0	76.6
	Not wrong at all OR A little bit wrong	32	33.2	23.4	43.0
	Total	97	100.0	.	.
12th	Wrong OR Very wrong	47	57.7	46.8	68.6
	Not wrong at all OR A little bit wrong	34	42.3	31.4	53.2
	Total	81	100.0	.	.
Total	Wrong OR Very wrong	511	74.8	71.4	78.2
	Not wrong at all OR A little bit wrong	170	25.2	21.8	28.6
	Total	681	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of cigarette use (Q84)

<i>Grade</i>	<i>Peer disapproval of cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	121	89.6	84.5	94.8
	Not wrong at all OR A little bit wrong	14	10.4	5.2	15.5
	Total	135	100.0	.	.
8th	Wrong OR Very wrong	114	91.9	87.1	96.7
	Not wrong at all OR A little bit wrong	10	8.1	3.3	12.9
	Total	124	100.0	.	.
9th	Wrong OR Very wrong	88	81.0	73.5	88.5
	Not wrong at all OR A little bit wrong	22	19.0	11.5	26.5
	Total	110	100.0	.	.
10th	Wrong OR Very wrong	109	82.9	76.2	89.5
	Not wrong at all OR A little bit wrong	25	17.1	10.5	23.8
	Total	134	100.0	.	.
11th	Wrong OR Very wrong	79	83.4	75.7	91.1
	Not wrong at all OR A little bit wrong	17	16.6	8.9	24.3
	Total	96	100.0	.	.
12th	Wrong OR Very wrong	71	90.5	84.1	96.9
	Not wrong at all OR A little bit wrong	8	9.5	3.1	15.9
	Total	79	100.0	.	.
Total	Wrong OR Very wrong	582	86.5	83.9	89.2
	Not wrong at all OR A little bit wrong	96	13.5	10.8	16.1
	Total	678	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of vaping (Q85)

<i>Grade</i>	<i>Peer disapproval of vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	105	77.8	70.7	84.8
	Not wrong at all OR A little bit wrong	30	22.2	15.2	29.3
	Total	135	100.0	.	.
8th	Wrong OR Very wrong	101	80.8	73.9	87.7
	Not wrong at all OR A little bit wrong	24	19.2	12.3	26.1
	Total	125	100.0	.	.
9th	Wrong OR Very wrong	65	60.3	50.8	69.7
	Not wrong at all OR A little bit wrong	44	39.7	30.3	49.2
	Total	109	100.0	.	.
10th	Wrong OR Very wrong	88	63.6	55.3	72.0
	Not wrong at all OR A little bit wrong	53	36.4	28.0	44.7
	Total	141	100.0	.	.
11th	Wrong OR Very wrong	56	57.0	47.0	67.0
	Not wrong at all OR A little bit wrong	46	43.0	33.0	53.0
	Total	102	100.0	.	.
12th	Wrong OR Very wrong	54	64.1	53.7	74.5
	Not wrong at all OR A little bit wrong	30	35.9	25.5	46.3
	Total	84	100.0	.	.
Total	Wrong OR Very wrong	469	67.9	64.3	71.5
	Not wrong at all OR A little bit wrong	227	32.1	28.5	35.7
	Total	696	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of marijuana use (Q86)

<i>Grade</i>	<i>Peer disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	106	80.3	73.5	87.1
	Not wrong at all OR A little bit wrong	26	19.7	12.9	26.5
	Total	132	100.0	.	.
8th	Wrong OR Very wrong	101	80.2	73.2	87.1
	Not wrong at all OR A little bit wrong	25	19.8	12.9	26.8
	Total	126	100.0	.	.
9th	Wrong OR Very wrong	68	55.9	46.7	65.1
	Not wrong at all OR A little bit wrong	51	44.1	34.9	53.3
	Total	119	100.0	.	.
10th	Wrong OR Very wrong	80	56.5	47.8	65.3
	Not wrong at all OR A little bit wrong	57	43.5	34.7	52.2
	Total	137	100.0	.	.
11th	Wrong OR Very wrong	47	43.3	33.4	53.1
	Not wrong at all OR A little bit wrong	58	56.7	46.9	66.6
	Total	105	100.0	.	.
12th	Wrong OR Very wrong	42	46.5	35.8	57.1
	Not wrong at all OR A little bit wrong	44	53.5	42.9	64.2
	Total	86	100.0	.	.
Total	Wrong OR Very wrong	444	61.8	58.0	65.5
	Not wrong at all OR A little bit wrong	261	38.2	34.5	42.0
	Total	705	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of prescription drug misuse (Q87)

<i>Grade</i>	<i>Peer disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	118	88.7	83.3	94.1
	Not wrong at all OR A little bit wrong	15	11.3	5.9	16.7
	Total	133	100.0	.	.
8th	Wrong OR Very wrong	114	91.2	86.2	96.2
	Not wrong at all OR A little bit wrong	11	8.8	3.8	13.8
	Total	125	100.0	.	.
9th	Wrong OR Very wrong	96	82.8	75.6	89.9
	Not wrong at all OR A little bit wrong	19	17.2	10.1	24.4
	Total	115	100.0	.	.
10th	Wrong OR Very wrong	114	79.2	72.1	86.4
	Not wrong at all OR A little bit wrong	28	20.8	13.6	27.9
	Total	142	100.0	.	.
11th	Wrong OR Very wrong	90	87.1	80.6	93.7
	Not wrong at all OR A little bit wrong	15	12.9	6.3	19.4
	Total	105	100.0	.	.
12th	Wrong OR Very wrong	75	83.5	75.6	91.4
	Not wrong at all OR A little bit wrong	14	16.5	8.6	24.4
	Total	89	100.0	.	.
Total	Wrong OR Very wrong	607	85.6	82.9	88.2
	Not wrong at all OR A little bit wrong	102	14.4	11.8	17.1
	Total	709	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of prescription pain reliever misuse (Q88)

<i>Grade</i>	<i>Peer disapproval of prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
7th	Wrong OR Very wrong	110	83.3	77.0	89.7
	Not wrong at all OR A little bit wrong	22	16.7	10.3	23.0
	Total	132	100.0	.	.
8th	Wrong OR Very wrong	113	91.1	86.1	96.1
	Not wrong at all OR A little bit wrong	11	8.9	3.9	13.9
	Total	124	100.0	.	.
9th	Wrong OR Very wrong	103	91.2	85.7	96.7
	Not wrong at all OR A little bit wrong	9	8.8	3.3	14.3
	Total	112	100.0	.	.
10th	Wrong OR Very wrong	117	89.9	84.4	95.4
	Not wrong at all OR A little bit wrong	13	10.1	4.6	15.6
	Total	130	100.0	.	.
11th	Wrong OR Very wrong	88	89.2	82.9	95.4
	Not wrong at all OR A little bit wrong	12	10.8	4.6	17.1
	Total	100	100.0	.	.
12th	Wrong OR Very wrong	73	89.3	82.3	96.3
	Not wrong at all OR A little bit wrong	8	10.7	3.7	17.7
	Total	81	100.0	.	.
Total	Wrong OR Very wrong	604	88.9	86.5	91.3
	Not wrong at all OR A little bit wrong	75	11.1	8.7	13.5
	Total	679	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of heroin or fentanyl use (Q89)

<i>Grade</i>	<i>Peer disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
7th	Wrong OR Very wrong	129	94.2	90.2	98.1
	Not wrong at all OR A little bit wrong	8	5.8	1.9	9.8
	Total	137	100.0	.	.
8th	Wrong OR Very wrong	119	96.0	92.5	99.4
	Not wrong at all OR A little bit wrong	5	4.0	0.6	7.5
	Total	124	100.0	.	.
9th	Wrong OR Very wrong	97	90.6	84.7	96.4
	Not wrong at all OR A little bit wrong	9	9.4	3.6	15.3
	Total	106	100.0	.	.
10th	Wrong OR Very wrong	121	89.7	84.3	95.2
	Not wrong at all OR A little bit wrong	13	10.3	4.8	15.7
	Total	134	100.0	.	.
11th	Wrong OR Very wrong	90	93.1	87.9	98.3
	Not wrong at all OR A little bit wrong	7	6.9	1.7	12.1
	Total	97	100.0	.	.
12th	Wrong OR Very wrong	79	93.6	88.2	99.0
	Not wrong at all OR A little bit wrong	5	6.4	1.0	11.8
	Total	84	100.0	.	.
Total	Wrong OR Very wrong	635	92.9	90.9	94.9
	Not wrong at all OR A little bit wrong	47	7.1	5.1	9.1
	Total	682	100.0	.	.

South Carolina Communities That Care Survey

Thank you for agreeing to participate in this survey. The survey asks your opinion about a number of things in your life, including your friends, your family, your neighborhood and your community. Your answers to these questions will be **confidential and anonymous**. This means your answers will stay secret. Your name will never be asked. Please **do not** write your name on this survey form.

This survey is completely voluntary. This means you do not have to take it. You may skip any question you don't want to answer.

Instructions

This is not a test, so there are no right or wrong answers.

Each question should be answered by marking only one of the answer spaces. If you don't find an answer that fits exactly, use one that comes closest. If any question does not apply to you, or you are not sure of what it means, just leave it blank.

Your answers will be read by a computer. Please follow these instructions carefully.

Make heavy marks inside the circles using a pencil.

Completely erase any answer you want to change.

Make no other marking or comments on the survey.

Make your marks like

this ●,

NOT like this



You will be provided with your schools

4 DIGIT CODE PLEASE BUBBLE THAT CODE IN BELOW.

0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

These questions ask for some general information about you.

1. How old are you?

- 11 16
 12 17
 13 18
 14 19 or older
 15

2. What grade are you in?

- 6th 7th 8th 9th 10th 11th 12th

3. Are you? Female
 Male

4. What is the language you use most often at home?

- English Spanish Another language

5. What do you consider yourself to be? (Choose all that apply)

- White
 Black or African American
 American Indian/Native American, Eskimo or Aleut
 Spanish/Hispanic/Latino
 Asian or Pacific Islander
 Other

6. Putting them all together, what were your grades like last year?

- Mostly F's
 Mostly D's
 Mostly C's
 Mostly B's
 Mostly A's

7. Which of the following best describes your present school program?

- Advanced placement or honors
 College prep
 General
 Vocational, technical or commercial
 Other, or don't know

8. Which of the following do you plan to do after high school? (choose all that apply)

- Attend a technical or vocational school
 Serve in the armed forces (Army, Navy, Air Force, etc)
 Graduate from a two-year college
 Graduate from a four-year college
 Attend graduate or professional school after college
 None of the above

This next section ask about your experience with tobacco, alcohol, and other drugs. It also ask some personal questions. Remember, your answers are CONFIDENTIAL. This means your answers will stay secret.

9. Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?

- A Never (SKIP TO QUESTION 11)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

10. How frequently have you used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen during the PAST 30 DAYS?

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

11. Have you ever smoked e-cigarettes or vaping pens?

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

12. How frequently have you smoked e-cigarettes or vapes during the PAST 30 DAYS?

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

13. During the PAST 30 DAYS, how did you usually get your own e-cigarettes or vaping pens?(Choose only one response)

- A I bought them in a store such as a convenience store gas station or supermarket
- B I gave someone else money to buy them for me
- C I borrowed (or bummed) them from somebody else
- D A person 18 years or older, gave them to me
- E I took them from a store or family member
- F I got them some other way

14. Have you ever smoked cigarettes?

- A Never (SKIP TO QUESTION 18)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

15. How old were you when you first smoked a CIGARETTE, even just a puff?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

16. How frequently have you smoked cigarettes during the PAST 30 DAYS?

- A Not at all (SKIP TO QUESTION 18)
- B Less than 1 cigarette per day
- C One to five cigarettes per day
- D About one half pack per day
- E About one pack per day
- F About one and one half packs per day
- G Two packs or more per day

17. During the PAST 30 DAYS, how did you usually get your own cigarettes?(Choose only one response)

- A I bought them in a store such as a convenience store gas station or supermarket
- B I bought them from a vending machine
- C I gave someone else money to buy them for me
- D I borrowed (or bummed) them from somebody else
- E A person 18 years or older, gave them to me
- F I took them from a store or family member
- G I got them some other way

18. Have you ever tried smoking cigars, cigarillos, or little cigars, such as Black and Milds, Swisher Sweets, Dutch Masters, White Owl, or Phillies Blunts, even one or two puffs?

- (A) Never
- (B) Once or Twice
- (C) Once in a while but not regularly
- (D) Regularly but in the past
- (E) Regularly now

19. Which of the following tobacco products have you ever tried, even just one time? (Choose all that apply)

- (A) Bidis
- (B) Kreteks
- (C) Hookah
- (D) Snus
- (E) chewing tobacco
- (F) Never tried any of the above

20. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in your LIFETIME?

- (A) 0 occasions (SKIP TO QUESTION 29)
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

21. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

22. Think back over the last two weeks. How many times have you had 5 or more alcoholic drinks in a row within a short period of time?

- (A) None
- (B) Once
- (C) Twice
- (D) 3-5 times
- (E) 6-9 times
- (F) 10 or more times

23. How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?

- (A) Never have
- (B) 10 or younger
- (C) 11
- (D) 12
- (E) 13
- (F) 14
- (G) 15
- (H) 16
- (I) 17 or older

24. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in the PAST 30 DAYS?

- (A) 0 occasions (SKIP TO QUESTION 29)
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

25. During the past 30 days, what type of alcohol did you usually drink? (Choose only one response)

- (A) I do not have a usual type
- (B) Beer
- (C) Malt beverages such as Smirnoff Ice, Bacardi Breezer, Mike's Hard Lemonade, Sparks, and Tilt
- (D) Alcohol mixed with an energy drink
- (E) Wine coolers, such as Seagrams and Bartles and James
- (F) Wine
- (G) Hard liquor, such as vodka, rum, scotch, or whiskey
- (H) Some other type

26. During the PAST 30 DAYS, how did you usually get the alcohol you drank?(Choose only one response)

- (A) I bought it myself from someplace like a store
- (B) I gave someone else money to buy it for me
- (C) I took it from a store
- (D) Someone gave it to at a party or social gathering
- (E) Someone gave it to me someplace else
- (F) I took it from a family member
- (G) I got it some other way

27. During the PAST 30 DAYS, who most often got alcohol for you, they either bought it for you or gave it to you?(Choose only one response)

- (A) Nobody got alcohol for me
- (B) My parent got it for me
- (C) A friend's parent got it for me
- (D) A friend or family member older than 25 got it for me
- (E) A friend or family member age 21-25 got it for me
- (F) A friend or family member under age 21 got it for me
- (G) Some other adult got it for me

28. During the PAST 30 DAYS, how many times did you drive a car or other vehicle when YOU had been drinking alcohol?

- (A) 0 times
- (B) 1 time
- (C) 2 or 3 times
- (D) 4 or 5 times
- (E) 6 or more times

29. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

- (A) 0 times
- (B) 1 time
- (C) 2 or 3 times
- (D) 4 or 5 times
- (E) 6 or more times

30. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in your LIFETIME?

- (A) 0 occasions (SKIP TO QUESTION 34)
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

31. How old were you when you first used marijuana?

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

32. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in the PAST 30 DAYS?

- (A) 0 occasions (SKIP TO QUESTION 35)
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

33. During the PAST 30 DAYS, how did you usually get the marijuana you used? (Choose only one response)

- (A) I bought it from a friend
- (B) I bought it from someone else
- (C) I gave someone else money to buy it for me
- (D) Someone gave it to me at a party or social gathering
- (E) Someone gave it to me someplace else
- (F) I brought it on the internet
- (G) I got it some other way

34. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using marijuana or other impairing substances OTHER than alcohol?

- (A) 0 times
- (B) 1 time
- (C) 2 or 3 times
- (D) 4 or 5 times
- (E) 6 or more times

35. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana or other impairing substances OTHER than alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

36. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 44)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

37. How old were you when you first used prescription drugs that were not prescribed to you?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

38. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in the PAST 30 DAYS?

- A 0 occasions (SKIP TO QUESTION 40)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

39. During the past 30 days, how did you usually get the prescription drugs you used that were not prescribed to you? (Choose only one response)

- A I took them from a friend without asking
- B I took them from a family member without asking
- C I bought them from a friend
- D I bought them from a family member
- E I got them from a friend for free (they gave them to me)
- F I got them from a family member for free (they gave them to me)
- G I bought them from someone else
- H I got them from more than one doctor and used them for non-medical reasons
- I I got them from just one doctor and used them for non-medical reasons
- J I wrote fake prescriptions
- K I stole them from a doctor's office, clinic, hospital or pharmacy
- L I bought them on the Internet
- M I got them some other way

40. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 44)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

41. How old were you when you first used prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

42. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in the PAST 30 DAYS?

- A 0 occasions (SKIP TO QUESTION 44)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

43. During the past 30 days, how did you usually get the prescription pain pills (i.e. OxyContin, Vicodin, etc.) you used that were not prescribed to you? (Choose only one response)

- A I took them from a friend without asking
- B I took them from a family member without asking
- C I bought them from a friend
- D I bought them from a family member
- E I got them from a friend for free (they gave them to me)
- F I got them from a family member for free (they gave them to me)
- G I bought them from someone else
- H I got them from more than one doctor and used them for non-medical reasons
- I I got them from just one doctor and used them for non-medical reasons
- J I wrote fake prescriptions
- K I stole them from a doctor's office, clinic, hospital or pharmacy
- L I bought them on the Internet
- M I got them some other way

44. On how many occasions, if any, have you used cocaine in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

45. On how many occasions, if any, have you used heroin or fentanyl in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 48)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

46. How old were you when you first used heroin or fentanyl?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

47. On how many occasions, if any, have you used heroin or fentanyl in the PAST 30 DAYS?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

48. How many times in the past year (12 months) have you sold illegal drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

49. How many times in the past year (12 months) have you attacked someone with the intent to hurt them due to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

50. How many times in the past year (12 months) have you been drunk or high at school?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

51. To what extent is drinking alcohol a central part in the social life of students at your school?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

52. To what extent do students at your school use alcohol in connection with school sporting events (such as tailgate parties, post-game celebrations)?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

53. To what extent do students at your school use alcohol on school property before, during, or after, school hours?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

54. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor (for example: vodka, whiskey or gin)?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

55. How wrong do you think it is for someone your age to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

56. How wrong do you think it is for someone your age to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

57. How wrong do you think it is for someone your age to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

58. How wrong do you think it is for someone your age to use prescription drugs not prescribed to them?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

59. How wrong do you think it is for someone your age to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to them?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

60. How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines, or another illegal drug?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

61. How wrong do you think it is for someone your age to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

62. How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

63. How much do you think people risk harming themselves physically or in other ways if they use e-cigarettes or vaping pens daily?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

64. How much do you think people risk harming themselves physically or in other ways if they use marijuana once or twice per week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

65. How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage within a short period of time once or twice a week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

66. How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

67. How much do you think people risk harming themselves physically or in other ways if they use prescription pain pills (i.e. OxyContin, Vicodin, etc.) that are not prescribed to them?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

68. If you wanted to get some cigarettes, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

69. If you wanted to get some e-cigarettes or vaping pens, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

70. If you wanted to get prescription drugs that were not prescribed to you, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

71. If you wanted to get prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

72. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey or gin), how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

73. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

74. If you wanted to get some marijuana, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

75. If you wanted to get some heroin or fentanyl, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

76. How wrong do your parents feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

77. How wrong do your parents feel it would be for YOU to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

78. How wrong do your parents feel it would be for YOU to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

79. How wrong do your parents feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

80. How wrong do your parents feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

81. How wrong do your parents feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

82. How wrong do your parents feel it would be for YOU to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

83. How wrong do your friends feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

84. How wrong do your friends feel it would be for YOU to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

85. How wrong do your friends feel it would be for YOU to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

86 How wrong do your friends feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

87. How wrong do your friends feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

88. How wrong do your friends feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

89. How wrong do your friends feel it would be for YOU to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

You may be asked to answer some additional questions. If so, those questions will be handed to you on a sheet of paper or written where everyone taking the survey can see them. In the space below record your answer to each additional question, if any.

- | | | | | | | | | |
|----|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 1. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 2. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 3. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 4. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 5. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |